Date printed 28.04.2025, Revision 28.04.2025



Version 15.0. Supersedes version: 14.0 Page 1 / 16

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

hydraulic fluid

Article number: 06161 UFI: VX1J-N058-X000-GPXN

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Hydraulics oil

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

## **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Acute Tox. 4: H332 Harmful if inhaled.

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms



Signal word DANGER

Contains: 1-Decene, Dimer, hydrogenated

Distillates (petroleum), hydrotreated light naphthenic

Hazard statements H332 Harmful if inhaled.

H304 May be fatal if swallowed and enters airways. H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements** P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

 ${\sf P301+P310\ IF\ SWALLOWED:\ Immediately\ call\ a\ POISON\ CENTER\ /\ doctor.}$ 

P312 Call a POISON CENTER / doctor if you feel unwell.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of

disposal.

Special labelling Contains: Methyl methacrylate. EUH208 May produce an allergic reaction.

## Ferdinand Bilstein GmbH + Co. KG

Date printed 28.04.2025, Revision 28.04.2025



Version 15.0. Supersedes version: 14.0 Page 2 / 16

### 2.3 Other hazards

Physico-chemical hazards No particular hazards known.

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

If swallowed or in the event of vomiting, risk of product entering the lungs.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**Environmental hazards**Does not contain any PBT or vPvB substances.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other hazards Further hazards were not determined with the current level of knowledge.

# **SECTION 3: Composition / Information on ingredients**

# 3.1 Substances

not applicable

#### 3.2 Mixtures

The product is a mixture.

Range [%]	Substance
50 - < 100	1-Decene, Dimer, hydrogenated
	CAS: 68649-11-6, EINECS/ELINCS: 500-228-5, Reg-No.: 01-2119493069-28-XXXX
	GHS/CLP: Acute Tox. 4: H332 - Asp. Tox. 1: H304
10 - < 20	Distillates (petroleum), hydrotreated light naphthenic
	CAS: 64742-53-6, EINECS/ELINCS: 265-156-6, EU-INDEX: 649-466-00-2, Reg-No.: 01-2119480375-34
	GHS/CLP: Asp. Tox. 1: H304
1 - < 10	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
	CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 10	Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics
	CAS: 1174522-45-2, EINECS/ELINCS: 934-954-2, EU-INDEX: 649-422-00-2, Reg-No.: 01-2119826592-36-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 2,5	O,O,O-tris(2(or 4)-C9-10-isoalkylphenyl) phosphorothioate
	CAS: 126019-82-7, EINECS/ELINCS: 406-940-1, EU-INDEX: 015-171-00-7, Reg-No.: 01-2119930067-42-XXXX
	GHS/CLP: Aquatic Chronic 2: H411
0,1 - < 1	Methyl methacrylate
	CAS: 80-62-6, EINECS/ELINCS: 201-297-1, EU-INDEX: 607-035-00-6, Reg-No.: 01-2119452498-28-XXXX
	GHS/CLP: Flam. Liq. 2: H225 - STOT SE 3: H335 - Skin Irrit. 2: H315 - Skin Sens. 1: H317
	SCL [%]: >= 10: STOT SE 3: H335
0,25 - < 1	2,6-di-tert-butyl-p-cresol
	CAS: 128-37-0, EINECS/ELINCS: 204-881-4, Reg-No.: 01-2119555270-46-XXXX
	GHS/CLP: Aquatic Chronic 1: H410 - Aquatic Acute 1: H400, M-Factor (acute): 1, M-Factor (chronic): 1

**Comment on component parts** For full text of H-statements: see SECTION 16.

Contains less than 3% w/w DMSO-extract (only for mineral oils)

Date printed 28.04.2025, Revision 28.04.2025



Version 15.0. Supersedes version: 14.0 Page 3 / 16

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General information Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

**Skin contact** In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

Get medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed

No information available.

## 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.

Treat symptomatically.

Forward this sheet to your doctor.

## **SECTION 5: Fire-fighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet

# 5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Do not inhale explosion and/or combustion gases.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

## 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

# 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.

# 6.4 Reference to other sections

See SECTION 8+13

## Ferdinand Bilstein GmbH + Co. KG

Date printed 28.04.2025, Revision 28.04.2025



Version 15.0. Supersedes version: 14.0 Page 4 / 16

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid formation of aerosols. Use only in well-ventilated areas.

The product is combustible.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash face and/or hands before break and end of work.

Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container. Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Do not store together with oxidizing agents.

Keep container tightly closed.

Keep container in a well-ventilated place.

Protect from heat/overheating.

## 7.3 Specific end use(s)

See product use, SECTION 1.2

Date printed 28.04.2025, Revision 28.04.2025



Version 15.0. Supersedes version: 14.0 Pa

## Page 5 / 16

# **SECTION 8: Exposure controls / personal protection**

## 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics

CAS: 1174522-45-2, EINECS/ELINCS: 934-954-2, EU-INDEX: 649-422-00-2, Reg-No.: 01-2119826592-36-XXXX

Long-term exposure: 1200 mg/m<sup>3</sup>

2,6-di-tert-butyl-p-cresol

CAS: 128-37-0, EINECS/ELINCS: 204-881-4, Reg-No.: 01-2119555270-46-XXXX

Long-term exposure: 10 mg/m<sup>3</sup>

Methyl methacrylate

CAS: 80-62-6, EINECS/ELINCS: 201-297-1, EU-INDEX: 607-035-00-6, Reg-No.: 01-2119452498-28-XXXX

Long-term exposure: 50 ppm, 208 mg/m<sup>3</sup>

Short-term exposure (15-minute): 100 ppm, 416 mg/m<sup>3</sup>

### Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

Substance / EC LIMIT VALUES

Methyl methacrylate

CAS: 80-62-6, EINECS/ELINCS: 201-297-1, EU-INDEX: 607-035-00-6, Reg-No.: 01-2119452498-28-XXXX

Eight hours: 50 ppm

Short-term (15-minute): 100 ppm

### **DNEL**

_			
Si	ihe	ta.	nce

Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6

Industrial, inhalative, Long-term - local effects, 5,4 mg/m³

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2

There are no DNEL values established for the substance.

1-Decene, Dimer, hydrogenated, CAS: 68649-11-6

Industrial, inhalative, Acute - systemic effects, 60 mg/m<sup>3</sup>

general population, inhalative, Acute - systemic effects, 50 mg/m<sup>3</sup>

Methyl methacrylate, CAS: 80-62-6

Industrial, inhalative, Long-term - systemic effects, 348,4 mg/m³

Industrial, inhalative, Long-term - local effects, 208 mg/m<sup>3</sup>

Industrial, inhalative, Acute - local effects, 416 mg/m³

Industrial, dermal, Long-term - systemic effects, 13,67 mg/kg bw/day

Industrial, dermal, Long-term - local effects, 1,5 mg/cm<sup>2</sup>

general population, inhalative, Long-term - systemic effects, 74,3 mg/m³

general population, inhalative, Long-term - local effects, 104 mg/m³

general population, dermal, Long-term - systemic effects, 8,2 mg/kg bw/day

general population, dermal, Long-term - local effects, 1,5 mg/cm<sup>2</sup>

general population, oral, Long-term - systemic effects, 8,2 mg/kg bw/day

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³

Industrial, inhalative, Long-term - local effects, 5.58 mg/m³

Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day

general population, oral, Long-term - systemic effects, 0.74mg/kg bw/day

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0

Industrial, inhalative, Long-term - systemic effects, 5,8 mg/m³

Industrial, dermal, Long-term - systemic effects, 8,3 mg/kg

general population, dermal, Long-term - systemic effects, 5 mg/kg

general population, inhalative, Long-term - systemic effects, 1,74 mg/m³

O,O,O-tris(2(or 4)-C9-10-isoalkylphenyl) phosphorothioate, CAS: 126019-82-7

Date printed 28.04.2025, Revision 28.04.2025



Version 15.0. Supersedes version: 14.0 Page 6 / 16

There are no DNEL values established for the substance.

**PNEC** 

Substance

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2

There are no PNEC values established for the substance.

Methyl methacrylate, CAS: 80-62-6

sediment (seawater), 1,02 mg/kg sediment dw

soil, 1,48 mg/kg soil dw

freshwater, 0.94 mg/L

seawater, 0,094 mg/L

sewage treatment plants (STP), 10 mg/L

sediment (freshwater), 10,2 mg/kg sediment dw

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

oral (food), 9.33 mg/kg food

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0

soil, 1,04 mg/kg

sediment (freshwater), 1,29 mg/kg

oral (food), 16,7 mg/kg

freshwater, 0,004 mg/l

seawater, 0,0004 mg/l

sewage treatment plants (STP), 100 mg/l

O,O,O-tris(2(or 4)-C9-10-isoalkylphenyl) phosphorothioate, CAS: 126019-82-7

There are no PNEC values established for the substance.

## 8.2 Exposure controls

Additional advice on system design Ensure adequate ventilation on workstation.

General exposure limit for oil mist should be noted.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection If there is a risk of splashing:

Safety glasses. (EN 166:2001)

The details concerned are recommendations. Please contact the glove supplier for further Hand protection

information.

> 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm; Neoprene, >480 min (EN 374-1/-2/-3).

Skin protection light protective clothing

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Respiratory protection Breathing apparatus in the event of aerosol or mist formation.

Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)

Thermal hazards

Delimitation and monitoring of the

environmental exposition

See SECTION 6+7.

bfe00411

Date printed 28.04.2025, Revision 28.04.2025



Version 15.0. Supersedes version: 14.0 Page 7 / 16

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state liquid
Form liquid
Color green
Odor characteristic
Odour threshold not relevant
pH-value not applicable
pH-value [1%] not applicable

Boiling point or initial boiling point

and boiling range [°C]

No information available.

Flash point [°C] 160 °C / 320 °F

Flammability No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

Density [g/cm³] 0,83 (15 °C / 59,0 °F)

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water insoluble

Solubility other solvents No information available.

Partition coefficient n-octanol/water

(log value)

not applicable

Kinematic viscosity

Relative vapour density

Melting point [°C]

Auto-ignition temperature [°C]

Decomposition temperature [°C]

No information available.

No information available.

No information available.

No information available.

Particle characteristics not applicable

## 9.2 Other information

none

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No dangerous reactions known if used as directed.

## 10.2 Chemical stability

The product is stable under standard conditions.

# 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents. Reactions with strong acids and alkalies.

## 10.4 Conditions to avoid

See SECTION 7.2. Strong heating.

## 10.5 Incompatible materials

Strong basic compounds Strong acids. Oxidizing agent

# Ferdinand Bilstein GmbH + Co. KG

Date printed 28.04.2025, Revision 28.04.2025



Version 15.0. Supersedes version: 14.0

# Page 8 / 16

# 10.6 Hazardous decomposition products

No hazardous decomposition products known.

Date printed 28.04.2025, Revision 28.04.2025



Version 15.0. Supersedes version: 14.0 Page 9 / 16

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6
LD50, oral, Rat, > 5000 mg/kg bw

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2

LD50, oral, Rat, >5000 mg/kg bw, OECD 401

1-Decene, Dimer, hydrogenated, CAS: 68649-11-6

LD50, oral, Rat, > 5000 mg/l

Methyl methacrylate, CAS: 80-62-6

LD50, oral, Rat, 7900 mg/kg

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, oral, Rat, > 5000 mg/kg bw

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0

LD50, oral, Rat, > 5000 mg/kg bw (OECD 401)

NOEL, oral, Rat, 25 mg/kg/28d

O,O,O-tris(2(or 4)-C9-10-isoalkylphenyl) phosphorothioate, CAS: 126019-82-7

LD50, oral, Rat, >2000 mg/kg bw

NOAEL, oral, Rat, 1000 mg/kg bw/day

#### Acute dermal toxicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6

LD50, dermal, Rabbit, > 2000 mg/kg bw

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2

LD50, dermal, Rabbit, > 3160 mg/kg bw

1-Decene, Dimer, hydrogenated, CAS: 68649-11-6

LD50, dermal, Rabbit, > 3000 mg/l

Methyl methacrylate, CAS: 80-62-6

LD50, dermal, Rabbit, > 5000 mg/kg

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, dermal, Rabbit, > 5000 mg/kg bw

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0

LD50, dermal, Rat, > 5000 mg/kg bw (OECD 402)

O,O,O-tris(2(or 4)-C9-10-isoalkylphenyl) phosphorothioate, CAS: 126019-82-7

LD50, dermal, Rat, >2000 mg/kg bw

## Acute inhalational toxicity

Based on the available information, the classification criteria are fulfilled.

Product

ATE-mix, inhalativ (dust/mist), 1,74 mg/l

Substance

Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6

LC50, inhalative, Rat, > 5,53 mg/l/4h (dust/mist)

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2

LC50, inhalative, Rat, > 5266 mg/m<sup>3</sup>

1-Decene, Dimer, hydrogenated, CAS: 68649-11-6

LC50, inhalative, Rat, >1,81 mg/l 4h

Methyl methacrylate, CAS: 80-62-6

LC50, inhalative, Rat, 29,8 mg/l (4h)

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LC50, inhalative, Rat, > 5 mg/L, 4h

Date printed 28.04.2025, Revision 28.04.2025



Version 15.0. Supersedes version: 14.0 Page 10 / 16

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2

Eye, non-irritating

Methyl methacrylate, CAS: 80-62-6

Eye, non-irritating

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

Eye, non-irritating

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2

dermal, non-irritating

Methyl methacrylate, CAS: 80-62-6

dermal, irritant

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

dermal, non-irritating

Respiratory or skin sensitisation

May produce an allergic reaction.

Calculation method

Based on the available information, the classification criteria are not fulfilled.

Substance

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2

dermal, non-sensitizing

Methyl methacrylate, CAS: 80-62-6

dermal, sensitising

inhalative, non-sensitizing

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

dermal, non-sensitizing

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2

NOAEL, oral, Rat, 5000 mg/kg bw/day

NOAEC, inhalative, Rat, 10.4 mg/L air

Methyl methacrylate, CAS: 80-62-6

NOAEL, oral, Rat, 124 mg/kg bw/day

NOAEC, inhalative, Rat, 104 mg/m<sup>3</sup>

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

NOAEC, inhalative, Rat, 980 mg/m³ air

LOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Methyl methacrylate, CAS: 80-62-6

in vitro, negativ

in vivo, negativ

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

in vitro, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

## Ferdinand Bilstein GmbH + Co. KG

Date printed 28.04.2025, Revision 28.04.2025



Version 15.0. Supersedes version: 14.0 Page 11 / 16

## - Fertility

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

NOAEL, oral, Rat, 1000 mg/kg bw/day

## - Development

Substance
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2
NOAEL, oral, Rat, 1000 mg/kg bw/day
Methyl methacrylate, CAS: 80-62-6
NOAEL, oral, Rabbit, 450 mg/kg bw/day
NOAEC, inhalative, Rat, 8300 mg/m³

## Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Methyl methacrylate, CAS: 80-62-6
NOAEL, oral, Rat, 90,3 mg/kg bw/day
NOAEC, inhalative, Rat, 2050 mg/m <sup>3</sup>

**Aspiration hazard** 

Based on the available information, the classification criteria are fulfilled.

On basis of test data

**General remarks** 

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

# 11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

The substance/mixture does not contain components considered to have endocrine disrupting

properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2 Other information none

Date printed 28.04.2025, Revision 28.04.2025



Version 15.0. Supersedes version: 14.0 Page 12 / 16

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Based on the available information, the classification criteria are fulfilled.

based on the available information, the classification criteria are rufflied.
Substance
Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6
LC50, (96h), Fish, > 100 mg/l
IC50, (48h), Algae, > 100 mg/l
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2
EC50, (72h), Algae, 10 g/L
NOELR, (21d), Invertebrates, 1 g/L
NOELR, (28d), Fish, 1 g/L
LL50, (48h), Invertebrates, 3.193 g/L
LL50, (96h), Fish, 1.028 g/L
1-Decene, Dimer, hydrogenated, CAS: 68649-11-6
EC50, (48h), Daphnia magna, > 1000 mg/l
EL50, (72h), Algae, >1000 mg/l
NOELR, (21d), Daphnia magna, 125 mg/l
LL50, (96h), Oncorhynchus mykiss, >1000 mg/l
Methyl methacrylate, CAS: 80-62-6
LC50, (96h), Oncorhynchus mykiss, > 79 mg/l OECD 203
EC50, (48h), Daphnia magna, 69 mg/l OECD 202
EC50, (72h), Selenastrum capricornutum, > 110 mg/l OECD 201
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
EL50, (48h), Invertebrates, > 10000 mg/L
LL50, (4d), Fish, > 100 mg/L
2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
LC50, (96h), Danio rerio, > 0,57 mg/l
EC50, (48h), Daphnia magna, > 0,17 mg/l
IC50, (72h), Desmodesmus subspicatus, > 0,42 mg/l
NOEC, (21d), Daphnia magna, > 0,39 mg/l
O,O,O-tris(2(or 4)-C9-10-isoalkylphenyl) phosphorothioate, CAS: 126019-82-7
LC50, (96h), Fish, 25 mg/L
EC50, (24h), Invertebrates, 5.5 mg/L
EC50, (72h), Algae, 100 mg/L
NOEC, (21d), Invertebrates, 10 mg/L

# 12.2 Persistence and degradability

Behaviour in environment compartments

No information available.

Behaviour in sewage plant

No information available.

**Biological degradability** 

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

(28d), 1 - 4 %, OECD 301 B, The product is not readily biodegradable.

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0

30 %, OECD 301 C

# 12.3 Bioaccumulative potential

No information available.

## Ferdinand Bilstein GmbH + Co. KG

Date printed 28.04.2025, Revision 28.04.2025



Version 15.0. Supersedes version: 14.0 Page 13 / 16

### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

Ecological data of complete product are not available.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

In according to RoHS!

Coordinate disposal with the disposal contractor/authorities if necessary.

Dispose of as hazardous waste.

Waste no. (recommended) 130111\*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150102

150104

150110\* packaging containing residues of or contaminated by hazardous substances

# **SECTION 14: Transport information**

# 14.1 UN number or ID number

Inland navigation (ADN)

Transport by land according to ADR/RID

not applicable

not applicable

Marine transport in accordance with

not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

## Ferdinand Bilstein GmbH + Co. KG

Date printed 28.04.2025, Revision 28.04.2025



Version 15.0. Supersedes version: 14.0 Page 14 / 16

14.2 UN proper shipping name

Transport by land according to ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

**IMDG** 

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with no

**IMDG** 

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

not applicable

14.7 Maritime transport in bulk according to IMO instruments

not applicable

## Ferdinand Bilstein GmbH + Co. KG

Date printed 28.04.2025, Revision 28.04.2025



Version 15.0. Supersedes version: 14.0 Page 15 / 16

# **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 2024/573; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances ≥ 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 40, 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the

following restrictions. 3

TRANSPORT-REGULATIONS ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers.

Observe employment restrictions for young people.

- VOC (2010/75/CE) 0 %

## 15.2 Chemical safety assessment

not applicable

## **SECTION 16: Other information**

## 16.1 Hazard statements (SECTION 3)

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

H315 Causes skin irritation.

H335 May cause respiratory irritation. H225 Highly flammable liquid and vapour.

H411 Toxic to aquatic life with long lasting effects. H304 May be fatal if swallowed and enters airways.

H332 Harmful if inhaled.

## Ferdinand Bilstein GmbH + Co. KG

Date printed 28.04.2025, Revision 28.04.2025



Version 15.0. Supersedes version: 14.0 Page 16 / 16

### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration

ECB = European Chemicals Bureau EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

# 16.3 Other information

Classification procedure Acute Tox. 4: H332 Harmful if inhaled. (Calculation method)

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (Weight of evidence)

Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method)

**Modified position** 2.3, 3.2