## Ferdinand Bilstein GmbH + Co. KG

Date printed 28.01.2025, Revision 28.01.2025



Version 13.0. Supersedes version: 12.0 Page 1 / 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

power steering oil Article number: 08972

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Gearbox oil

### 1.2.2 Uses advised against

None known.

## 1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

## 1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

The product does not require a hazard warning label in accordance with regulation CLP.

Hazard pictograms none
Signal word none
Hazard statements none
Precautionary statements none

#### 2.3 Other hazards

**Human health dangers** If swallowed or in the event of vomiting, risk of product entering the lungs.

Frequent persistent contact with the skin can cause skin irritation.

**Environmental hazards**Contains no ingredients with endocrine-disrupting properties.

Does not contain any PBT or vPvB substances.

Other hazards No particular hazards known.

## **SECTION 3: Composition / Information on ingredients**

#### 3.1 Substances

not applicable

## Ferdinand Bilstein GmbH + Co. KG

Date printed 28.01.2025, Revision 28.01.2025



Version 13.0. Supersedes version: 12.0 Page 2 / 12

#### 3.2 Mixtures

### The product is a mixture.

Range [%]	Substance
0,1 - <1	N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine
	EINECS/ELINCS: 930-859-5, Reg-No.: 01-2120763467-44-XXXX
	GHS/CLP: Skin Corr. 1C: H314 - Eye Dam. 1: H318 - Aquatic Acute 1: H400 - Aquatic Chronic 2: H411, M-Factor (acute): 1
0,1 - <1	Alkyl thiophosphites
	EINECS/ELINCS: 424-820-7, Reg-No.: 01-0000017126-75-XXXX
	GHS/CLP: Skin Corr. 1B: H314 - Acute Tox. 4: H312 - Aquatic Chronic 1: H410 - Aquatic Acute 1: H400, M-Factor (acute): 10, M-Factor (chronic): 10

Comment on component parts For full text of H-statements: see SECTION 16.

contains less than 3% w/w DMSO-extract

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Seek medical advice immediately.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

## 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

## 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.

Forward this sheet to your doctor.

### **SECTION 5: Fire-fighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media Fire extinguishing method of surrounding areas must be considered.

Carbon dioxide.
Dry powder.
Foam.

Extinguishing media that must not

be used

Full water jet.

### 5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.

Risk of formation of toxic pyrolysis products.

## 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

### Ferdinand Bilstein GmbH + Co. KG

Date printed 28.01.2025, Revision 28.01.2025



Version 13.0. Supersedes version: 12.0 Page 3 / 12

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.

Forms slippery surfaces with water.

Ensure adequate ventilation.

Use personal protective equipment (protective gloves, safety glasses, protective clothing).

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid formation of aerosols.

The product is combustible.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Cloths contaminated with product should not be kept in trouser pockets.

Take off contaminated clothing and wash before reuse.

Contaminated work clothing should not be allowed out of the workplace.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Do not store together with oxidizing agents.

Keep container tightly closed.

Keep container in a well-ventilated place.

Protect from heat/overheating.

## 7.3 Specific end use(s)

See product use, SECTION 1.2

## Ferdinand Bilstein GmbH + Co. KG

Date printed 28.01.2025, Revision 28.01.2025



Version 13.0. Supersedes version: 12.0 Page 4 / 12

## SECTION 8: Exposure controls / personal protection

## 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

not relevant

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

## **DNEL**

Substance	
Alkyl thiophosphites	
Industrial, inhalative, Long-term - systemic effects, 1,76 mg/m³	
Industrial, dermal, Long-term - systemic effects, 0,5 mg/kg bw/day	
general population, inhalative, Long-term - systemic effects, 0,43 mg/m³	
general population, dermal, Long-term - systemic effects, 0,25 mg/kg bw/day	
general population, oral, Long-term - systemic effects, 0,25 mg/kg bw/day	
N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine	
Industrial, inhalative, Long-term - systemic effects, 2,93 mg/m³	
Industrial, dermal, Long-term - systemic effects, 830 μg/kg bw/day	
general population, dermal, Long-term - systemic effects, 420 μg/kg bw/day	
general population, oral, Long-term - systemic effects, 420 μg/kg bw/day	
general population, inhalative, Long-term - systemic effects, 720 μg/m³	

## **PNEC**

Substance	
Alkyl thiophosphites	
freshwater, 900 ng/l	
seawater, 90 ng/l	
sewage treatment plants (STP), 54 mg/l	
sediment (freshwater), 0,073 mg/kg	
sediment (seawater), 0,007 mg/kg	
soil, 0,015 mg/kg	
oral (food), 10 mg/kg	
N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine	
freshwater, 790 ng/L	
seawater, 79 ng/L	
sewage treatment plants (STP), 100 mg/L	
sediment (freshwater), 4,5 μg/kg sediment dw	
sediment (seawater), 450 ng/kg sediment dw	
soil, 2 μg/kg soil dw	
oral (food), 16,67 mg/kg food	

### Ferdinand Bilstein GmbH + Co. KG

Date printed 28.01.2025, Revision 28.01.2025



Version 13.0. Supersedes version: 12.0 Page 5 / 12

#### 8.2 Exposure controls

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

General exposure limit for oil mist should be noted.

**Eye protection** Safety glasses. (EN 166:2001)

**Hand protection** The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,4 mm Butyl rubber, >480 min (EN 374-1/-2/-3).

Skin protection light protective clothing

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

**Respiratory protection** Breathing apparatus in the event of aerosol or mist formation.

In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear

appropriate respiratory protection.

Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)

Thermal hazards non

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical stateliquidFormliquidColorlight yellowOdorcharacteristic

Odour threshold No information available.

pH-value not applicablepH-value [1%] not applicableBoiling point or initial boiling point not applicable

and boiling range [°C]

Flash point [°C] 220

Flammability No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

Density [g/cm³] 0,85 (15 °C / 59,0 °F)

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water insoluble

Solubility other solvents No information available.

Partition coefficient n-octanol/water No information available.

(log value)

Kinematic viscosity

Relative vapour density

Melting point [°C]

No information available.

No information available.

Auto-ignition temperature [°C] not applicable

**Decomposition temperature [°C]**No information available.

Particle characteristics not applicable

## 9.2 Other information

none

## Ferdinand Bilstein GmbH + Co. KG

Date printed 28.01.2025, Revision 28.01.2025



Version 13.0. Supersedes version: 12.0 Page 6 / 12

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No dangerous reactions known if used as directed.

## 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

## 10.3 Possibility of hazardous reactions

No dangerous reactions known if used as directed.

## 10.4 Conditions to avoid

Strong heating.

## 10.5 Incompatible materials

Strong oxidizing agent. Strong bases Strong acids.

## 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## Ferdinand Bilstein GmbH + Co. KG

Date printed 28.01.2025, Revision 28.01.2025



Version 13.0. Supersedes version: 12.0 Page 7 / 12

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

ATE-mix, oral, >2000 mg/kg bw

Substance

Alkyl thiophosphites

LD50, oral, Rat, > 2000 mg/kg

NOAEL, oral, Rat, 50 - 150 mg/kg bw/day

N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine

LD50, oral, Rat, >2000 mg/kg bw, OECD 401

#### Acute dermal toxicity

Product

ATE-mix, dermal, >2000 mg/kg bw

Substance

Alkyl thiophosphites

LD50, dermal, Rabbit, > 500 mg/kg

N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine

LD50, dermal, Rabbit, >2000 mg/kg bw, OECD 402

## Acute inhalational toxicity

Product

ATE-mix, inhalation (vapour), >20 mg/L

Serious eye damage/irritation

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Substance

N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine

dermal, Rabbit, Study, Causes serious eye damage.

Respiratory or skin sensitisation

Specific target organ toxicity -

single exposure

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity -

Based on the available information, the classification criteria are not fulfilled.

repeated exposure

Substance

N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine

NOAEL, oral, Rat, 250 mg/kg bw/day, OECD 407, adverse effect observed

## Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine

in vitro, OECD 471, negativ

### Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance

N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine

NOAEL, oral, Rat, 100 mg/kg bw/day, OECD 421, adverse effect observed

## Ferdinand Bilstein GmbH + Co. KG

Date printed 28.01.2025, Revision 28.01.2025



Version 13.0. Supersedes version: 12.0 Page 8 / 12

#### - Development

Substance

N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine

oral, Rat, 100 mg/kg bw/day, OECD 421, adverse effect observed

Carcinogenicity Based on the available information, the classification criteria are not fulfilled. **Aspiration hazard** Based on the available information, the classification criteria are not fulfilled.

**General remarks** 

Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

Does not contain a relevant substance that meets the classification criteria.

11.2.2 Other information none

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

Alkyl thiophosphites

EL50, (48h), Daphnia magna, 0,09 mg/l

EL50, (72h), Selenastrum capricornutum, 0,31 mg/l

LL50, (21d), Daphnia magna, 0,22 mg/l

LL50, (24h), Oncorhynchus mykiss, 2 mg/l

N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine

LC50, (96h), Fish, 690 mg/L, OECD 203

EC50, (72h), Pseudokirchneriella subcapitata, 790 µg/L, OECD 201

EL50, (48h), Daphnia magna, 4 mg/L, OECD 202

### 12.2 Persistence and degradability

Behaviour in environment

compartments

No information available.

Behaviour in sewage plant **Biological degradability** 

No information available. No information available.

N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine

(28d), Activated sewage sludge, OECD 301 B, The product is not readily biodegradable.

## 12.3 Bioaccumulative potential

No information available.

Substance

N,N-bis(2-hydroxyethyl)-3-[(C16-18)alkoxy]-1-propanamine

BCF, 53 L/kg

#### 12.4 Mobility in soil

No information available.

## Ferdinand Bilstein GmbH + Co. KG

Date printed 28.01.2025, Revision 28.01.2025



Version 13.0. Supersedes version: 12.0 Page 9 / 12

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Endocrine disrupting properties

Does not contain a relevant substance that meets the classification criteria.

#### 12.7 Other adverse effects

No classification due to toxicological investigations.

Do not discharge product unmonitored into the environment or into the drainage.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

In according to RoHS!

Coordinate disposal with the authorities if necessary.

Waste no. (recommended)

130205\* mineral-based non-chlorinated engine, gear and lubricating oils

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150102

150104

150110\* packaging containing residues of or contaminated by hazardous substances

### **SECTION 14: Transport information**

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

NO DANGEROUS GOODS

ADR/RID

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

**IMDG** 

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

## Ferdinand Bilstein GmbH + Co. KG

Date printed 28.01.2025, Revision 28.01.2025



Version 13.0. Supersedes version: 12.0 Page 10 / 12

### 14.3 Transport hazard class(es)

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID

Inland navigation (ADN)

not applicable

not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

Inland navigation (ADN) no

Marine transport in accordance with no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

## 14.7 Maritime transport in bulk according to IMO instruments

not applicable

### Ferdinand Bilstein GmbH + Co. KG

Date printed 28.01.2025, Revision 28.01.2025



Version 13.0. Supersedes version: 12.0 Page 11 / 12

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances ≥ 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1% of substances with the following restrictions. 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to

any restrictions.

TRANSPORT-REGULATIONS ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

- VOC (2010/75/CE) No information available.

15.2 Chemical safety assessment

not applicable

### **SECTION 16: Other information**

### 16.1 Hazard statements (SECTION 3)

H410 Very toxic to aquatic life with long lasting effects.

H312 Harmful in contact with skin.

H411 Toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life. H318 Causes serious eye damage.

H314 Causes severe skin burns and eye damage.

### Ferdinand Bilstein GmbH + Co. KG

Date printed 28.01.2025, Revision 28.01.2025



Version 13.0. Supersedes version: 12.0 Page 12 / 12

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average

TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

## 16.3 Other information

Classification procedure

**Modified position** 

2.2, 2.3, 3.2, 5.1, 5.2, 7.1, 7.2, 8.1, 8.2, 9.1, 10.3, 10.4, 10.5, 11.1, 11.2, 12.1, 12.2, 12.3,

12.6, 12.7, 13.1, 15.1, 15.2, 16.1, 16.3