# Safety Data Sheet (UK REACH) (UK)

### Multipurpose Grease for NBR Rubber Components Article number 100331



### Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 04.02.2025

Version 5.0. Supersedes version: 4.0

Page 1 / 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Multipurpose Grease for NBR Rubber Components** 

Article number: 100331

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1 Relevant uses

Grease

1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

The product does not require a hazard warning label in accordance with regulation CLP.

Hazard pictograms none
Signal word none
Hazard statements none
Precautionary statements none

2.3 Other hazards

Physico-chemical hazards Combustible.

Human health dangers High Pressure Applications. Injections through the skin resulting from contact with the product

at high pressure constitute a major medical emergency.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin

resulting in disorders such as oil acne/folliculitis. Used grease may contain harmful impurities.

Contains no ingredients with endocrine-disrupting properties.

**Environmental hazards**Does not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.

## **SECTION 3: Composition / Information on ingredients**

### 3.1 Substances

not applicable

# Safety Data Sheet (UK REACH) (UK)

### Multipurpose Grease for NBR Rubber Components Article number 100331



### Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 04.02.2025

Version 5.0. Supersedes version: 4.0

Page 2 / 9

#### 3.2 Mixtures

The product is a mixture.

Comment on component parts Contains less than 3% w/w DMSO-extract (only for mineral oils)

A lubricating grease containing highly-refined mineral oils and additives.

No dangerous components.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General information Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

**Skin contact** When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Seek medical advice immediately.

Do not induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on

the skin of exposed areas.

Ingestion may result in nausea, vomiting and/or diarrhoea.

Local necrosis is evidenced by delayed onset of pain and tissue damage a few hours

following injection.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.

High pressure injection injuries require prompt surgical inter-vention and possibly steroid

therapy, to minimise tissue dam-age and loss of function.

Because entry wounds are small and do not reflect the seri-ousness of the underlying damage, surgical exploration to determine the extent of involvement may be necessary. Local anaesthetics or hot soaks should be avoided because they can contribute to swelling, vasospasm and ischaemia. Prompt surgical decompression, debridement and evacuation of for-eign material should be performed under general anaesthet-ics, and wide exploration is

essential.

### **SECTION 5: Fire-fighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide.

Water spray jet. Dry powder. Foam.

Extinguishing media that must not

be used

Full water jet.

### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.



### Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 04.02.2025

Version 5.0. Supersedes version: 4.0

Page 3 / 9

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Prevent spread over a wide area (e.g. by containment or oil barriers).

### 6.3 Methods and material for containment and cleaning up

Take up mechanically.

Dispose of absorbed material in accordance within the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Use only in well-ventilated areas.

No special measures necessary if used correctly.

The product is combustible.

Wash hands before breaks and after work.

Use barrier skin cream.

Cloths contaminated with product should not be kept in trouser pockets.

Do not eat, drink or smoke when using this product.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Do not store together with oxidizing agents.

Keep container tightly closed. Keep away from frost.

Keep in a cool place. Store in a dry place.

## 7.3 Specific end use(s)

See product use, SECTION 1.2

# SECTION 8: Exposure controls / personal protection

## 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

not relevant

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

# Safety Data Sheet (UK REACH) (UK)

### Multipurpose Grease for NBR Rubber Components Article number 100331

# ebi bilstein

### Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 04.02.2025

Version 5.0. Supersedes version: 4.0

Page 4 / 9

### 8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

General exposure limit for oil mist should be noted.

Eye protection If there is a risk of splashing:

Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information

> 0.4 mm Butyl rubber, >240 min (EN 374-1/-2/-3).

Skin protection not applicable

Other Avoid contact with eyes and skin.

Respiratory protection Not required under normal conditions.

Thermal hazards not applicable

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state liquid
Form pasty
Color light brown
Odor characteristic
Odour threshold not applicable
pH-value not applicable
pH-value [1%] not applicable

Boiling point or initial boiling point

and boiling range [°C]

No information available.

Flash point [°C] not determined

**Flammability** no

Lower explosion limit ca. 1 Vol.% Upper explosion limit ca. 10 Vol.%

Oxidising properties no

Vapour pressure/gas pressure [kPa] < 0.0005 (20°C, 68°F)

**Density [g/cm³]** 0.9(DIN 51757) (15 °C / 59,0 °F)

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water virtually insoluble

Solubility other solvents No information available.

Partition coefficient n-octanol/water

(log value)

> 6

**Kinematic viscosity** No information available.

Relative vapour density >

**Melting point [°C]**No information available.

Auto-ignition temperature [°C] > 320 (608°F)

**Decomposition temperature [°C]**No information available.

Particle characteristics not applicable

9.2 Other information

Drop point: 180 °C

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No dangerous reactions known if used as directed.

# 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

# ebi bilstein

### Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 04.02.2025

Version 5.0. Supersedes version: 4.0

Page 5 / 9

### 10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

### 10.4 Conditions to avoid

Strong heating. Sunlight

### 10.5 Incompatible materials

Strong oxidizing agent.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

### **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

LD50, oral, Rat, > 5000 mg/kg bw

### Acute dermal toxicity

Product

LD50, dermal, Rabbit, > 5000 mg/kg bw

### Acute inhalational toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Serious eye damage/irritation Slight irritant effect.

Based on the available information, the classification criteria are not fulfilled.

Skin corrosion/irritation Slight irritant effect.

Respiratory or skin sensitisation

Respiratory or skin sensitisation

Specific target organ toxicity—

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

single exposure

Specific target organ toxicity — Based on the available information, the classification criteria are not fulfilled.

repeated exposure

Mutagenicity

No mutagenous properties.

Based on the available information, the classification criteria are not fulfilled.

Reproduction toxicity Based on the available information, the classification criteria are not fulfilled.

Carcinogenicity No cancerogenic properties known

none

Based on the available information, the classification criteria are not fulfilled. **Aspiration hazard**Based on the available information, the classification criteria are not fulfilled. **General remarks** 

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

Remarks: Used grease may contain harmful impurities that have accumulated during use.

The concentration of such harmful impurities will depend on use and they may present risks to health and the environment on disposal. ALL used grease should be handled with caution

and skin contact avoided as far as possible.

Remarks: High pressure injection of product into the skin may lead to local necrosis if the prod-uct is not surgically removed.

### 11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

11.2.2 Other information

Does not contain a relevant substance that meets the classification criteria.

bfe00217



# Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 04.02.2025

Version 5.0. Supersedes version: 4.0

Page 6 / 9

### **SECTION 12: Ecological information**

Product

### 12.1 Toxicity

EL50, Algae, > 100 mg/l

LL50, Fish, > 100 mg/l

LL50, Daphnia magna, > 100 mg/l

### 12.2 Persistence and degradability

Behaviour in environment

not determined

compartments

Behaviour in sewage plant

not determined

Biological degradability

The product is not readily biodegradable.

### 12.3 Bioaccumulative potential

Contains components with the potential to bioaccumulate.

### 12.4 Mobility in soil

Product is immobilized by adsorption to soil particles.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Endocrine disrupting properties

Does not contain a relevant substance that meets the classification criteria.

### 12.7 Other adverse effects

The product is insoluble in water.

Do not discharge product unmonitored into the environment.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

### **Product**

Disposal in an incineration plant in accordance with the regulations of the local authorities.

In according to RoHS!

Waste no. (recommended) 120112\* spent waxes and fats

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Uncontaminated packaging may be reused.

**Waste no. (recommended)** 150110\* packaging containing residues of or contaminated by hazardous substances

150102



### Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 04.02.2025

Version 5.0. Supersedes version: 4.0

Page 7 / 9

# **SECTION 14: Transport information**

### 14.1 UN number or ID number

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

NO DANGEROUS GOODS

ADR/RID

Inland navigation (ADN) NO DANGEROUS GOODS

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

no

ADR/RID

Inland navigation (ADN) no

Marine transport in accordance with no

**IMDG** 

Air transport in accordance with IATA no



### Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 04.02.2025

Version 5.0. Supersedes version: 4.0

Page 8 / 9

### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances  $\geq 0.1\%$  that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product does not

contain any substances ≥ 0.1% that are restricted.

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to

any restrictions.

TRANSPORT-REGULATIONS ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

not applicable

- VOC (2010/75/CE) 0 %

# 15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.



### Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 04.02.2025

Version 5.0. Supersedes version: 4.0

Page 9 / 9

### **SECTION 16: Other information**

### 16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

### 16.2 Other information

Classification procedure

Modified position 15.1, 16.3