

# Ferdinand Bilstein GmbH + Co. KG

Date printed 20.03.2025, Revision 20.03.2025

Version 4.0. Supersedes version: 3.0

Page 1 / 9

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **Product identifier**

**MultiPLUS ECO** 

Article number: 180212, 180213

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

## 1.2.1 Relevant uses

Cleaning agent

1.2.2 Uses advised against

None known.

# Details of the supplier of the safety data sheet

Ferdinand Bilstein GmbH + Co. KG Company

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

**Technical information** info@febi.com info@febi.com Safety Data Sheet

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

# **SECTION 2: Hazards identification**

# Classification of the substance or mixture [REGULATION (GB) CLP]

Eye Irrit. 2: H319 Causes serious eye irritation.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms

Cleaner, 648/2004/CE, contains:

WARNING Signal word

**Hazard statements** H319 Causes serious eye irritation.

**Precautionary statements** P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice / attention.

< 5% non-ionic surfactants < 5% anionic surfactant

2.3 Other hazards

> **Environmental hazards** Does not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards Further hazards were not determined with the current level of knowledge.

# **SECTION 3: Composition / Information on ingredients**

## 3.1 **Substances**

not applicable

# ebi bilstein

# Ferdinand Bilstein GmbH + Co. KG

Date printed 20.03.2025, Revision 20.03.2025

Version 4.0. Supersedes version: 3.0

Page 2 / 9

## 3.2 Mixtures

# The product is a mixture.

Range [%]	Substance
1 - <3	Alcohol ethoxylated, C9-11, <2.5 EO
	CAS: 68439-46-3, EINECS/ELINCS: 614-482-0
	GHS/CLP: Acute Tox. 4: H302 - Eye Dam. 1: H318

Comment on component parts For full text of H-statements: see SECTION 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

**General information** Take off contaminated clothing and wash before reuse.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

**Skin contact** In case of contact with skin wash off with warm water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Get medical advice.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

# 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

# 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

If swallowed or in the event of vomiting, risk of product entering the lungs.

Forward this sheet to your doctor.

# **SECTION 5: Fire-fighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media Fire exting

Fire extinguishing method of surrounding areas must be considered.

Extinguishing media that must not

be used

Full water jet.

# 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

# 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

# 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into surface waters/groundwater.

# 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous

earth).

Dispose of absorbed material in accordance within the regulations.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 20.03.2025, Revision 20.03.2025

Version 4.0. Supersedes version: 3.0

Page 3 / 9

## Reference to other sections

See SECTION 8+13

# **SECTION 7: Handling and storage**

# Precautions for safe handling

No special measures necessary if used correctly.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

# 7.2 Conditions for safe storage, including any incompatibilities

Prevent penetration into the ground.

Do not store together with oxidizing agents. Keep container in a well-ventilated place.

Keep container tightly closed.

Do not keep at temperatures below 0°C.

# Specific end use(s)

See product use, SECTION 1.2

# **SECTION 8: Exposure controls / personal protection**

# **Control parameters**

Ingredients with occupational exposure limits to be monitored (UK)

not relevant

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

# 8.2 Exposure controls

Additional advice on system design Not required under normal conditions. Eye protection Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

> information. In full contact:

> 0,4 mm Butyl rubber, >480 min (EN 374-1/-2/-3).

In splash contact:

> 0,4 mm Butyl rubber, >120 min (EN 374-1/-2/-3).

Skin protection Protective clothing (EN 340)

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Do not inhale gases/vapours/aerosols.

Avoid contact with eyes and skin.

Respiratory protection In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear

appropriate respiratory protection.

Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

# ebi bilstein

Page 4 / 9

# Ferdinand Bilstein GmbH + Co. KG

Date printed 20.03.2025, Revision 20.03.2025

Version 4.0. Supersedes version: 3.0

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical stateliquidFormliquidColorturbidOdorodourlessOdour thresholdnot applicable

pH-value ca. 7

pH-value [1%] No information available.

Boiling point or initial boiling point

and boiling range [°C]

Flash point [°C]

No information available.

**Flammability** no

Lower explosion limit not applicable
Upper explosion limit not applicable

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

Density [g/cm³] No information available.

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water miscible

Solubility other solvents No information available.

Partition coefficient n-octanol/water No information available.

(log value)

Kinematic viscosity not relevant

Relative vapour density

No information available.

Melting point [°C]

No information available.

Auto-ignition temperature [°C] not applicable

Decomposition temperature [°C] not applicable

Particle characteristics not applicable

9.2 Other information

No information available.

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No dangerous reactions known if used as directed.

# 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

# 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

# 10.4 Conditions to avoid

No special measures necessary.

# 10.5 Incompatible materials

See SECTION 7

# 10.6 Hazardous decomposition products

No hazardous decomposition products known.

bfe00319

# ebi bilstein

# Ferdinand Bilstein GmbH + Co. KG

Date printed 20.03.2025, Revision 20.03.2025

Version 4.0. Supersedes version: 3.0

Page 5 / 9

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity Based on available data, the classification criteria are not met.

Product

ATE-mix, oral, > 2000 mg/kg bw

Substance

Alcohol ethoxylated, C9-11, <2.5 EO, CAS: 68439-46-3

LD50, oral, Rat, > 300 - <=2000 mg/kg

Acute dermal toxicity Based on available data, the classification criteria are not met.

Substance

Alcohol ethoxylated, C9-11, <2.5 EO, CAS: 68439-46-3

LD50, dermal, Rabbit, > 2000 mg/kg

Acute inhalational toxicity Based on available data, the classification criteria are not met.

Serious eye damage/irritation Irritant

Skin corrosion/irritationBased on the available information, the classification criteria are not fulfilled.Respiratory or skin sensitisationBased on the available information, the classification criteria are not fulfilled.Specific target organ toxicity —Based on the available information, the classification criteria are not fulfilled.

single exposure

Specific target organ toxicity —

repeated exposure

epeated exposure

MutagenicityBased on the available information, the classification criteria are not fulfilled.Reproduction toxicityBased on the available information, the classification criteria are not fulfilled.CarcinogenicityBased on the available information, the classification criteria are not fulfilled.Aspiration hazardBased on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

Does not contain a relevant substance that meets the classification criteria.

Based on the available information, the classification criteria are not fulfilled.

11.2.2 Other information none

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Ecological data of complete product are not available.

Substance	
Alcohol ethoxylated, C9-11, <2.5 EO, CAS: 68439-46-3	
LC50, Fish, > 10 - 100 mg/l	
LC50, Daphnia sp., > 1 - 10 mg/l	
LC50, Algae, > 10 - 100 mg/l	
NOEC, Fish, > 1 - 10 mg/l	
NOEC, Daphnia sp., > 1 - 10 mg/l	

# Ferdinand Bilstein GmbH + Co. KG

Date printed 20.03.2025, Revision 20.03.2025

Version 4.0. Supersedes version: 3.0

Page 6 / 9

# 12.2 Persistence and degradability

Behaviour in environment

compartments

No information available.

Behaviour in sewage plant

The product can cause foaming in sewage treatment plants.

**Biological degradability** 

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

# 12.3 Bioaccumulative potential

No information available.

# 12.4 Mobility in soil

No information available.

# 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

# 12.6 Endocrine disrupting properties

Does not contain a relevant substance that meets the classification criteria.

## 12.7 Other adverse effects

none

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

# **Product**

Dispose of as hazardous waste.

Coordinate disposal with the authorities if necessary.

Waste no. (recommended) 200129\*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150102

150110\* packaging containing residues of or contaminated by hazardous substances

# **SECTION 14: Transport information**

# 14.1 UN number or ID number

Transport by land according to

not applicable

ADR/RID

**IMDG** 

Inland navigation (ADN) not applicable

Marine transport in accordance with

Air transport in accordance with IATA not applicable

# Ferdinand Bilstein GmbH + Co. KG

Date printed 20.03.2025, Revision 20.03.2025

Version 4.0. Supersedes version: 3.0

Page 7 / 9

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with no

**IMDG** 

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

# ebi bilstein

# Ferdinand Bilstein GmbH + Co. KG

Date printed 20.03.2025, Revision 20.03.2025

Version 4.0. Supersedes version: 3.0

Page 8 / 9

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 2008/98/EG (2000/532/EC ); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 2024/573; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances ≥ 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the

following restrictions. 3

TRANSPORT-REGULATIONS ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers. Observe

employment restrictions for young people.

- VOC (2010/75/CE) not releva

# 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

# 16.1 Hazard statements (SECTION 3)

H318 Causes serious eye damage. H302 Harmful if swallowed.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 20.03.2025, Revision 20.03.2025



Version 4.0. Supersedes version: 3.0 Page 9 / 9

# 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

# 16.3 Other information

Classification procedure Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

**Modified position** 3.2, 8.1, 8.2, 11.1, 11.2, 12.1, 12.2, 12.3, 12.4, 12.5, 12.6, 12.7