Ferdinand Bilstein GmbH + Co. KG

Date printed 20.01.2025, Revision 20.01.2025



Version 2.0. Supersedes version: 1.0 F

Page 1 / 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Gear oil SAE 70W-80 (GL-5) Article number: 184247 UFI: 5F8F-8HNV-600T-2GUR

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Gearbox oil

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Eye Irrit. 2: H319 Causes serious eye irritation.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms

(!)

Signal word WARNING

Hazard statements H319 Causes serious eye irritation.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice / attention.

2.3 Other hazards

Physico-chemical hazards No particular hazards known.

Environmental hazardsDoes not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards No particular hazards known.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

ebibilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 20.01.2025, Revision 20.01.2025

Version 2.0. Supersedes version: 1.0

Page 2 / 10

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
10 - < 20	1-Decene, homopolymer, hydrogenated
	CAS: 68037-01-4, EINECS/ELINCS: 500-183-1, Reg-No.: 01-2119486452-34-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 4,59	Polysulfides, di-tert-Bu
	CAS: 68937-96-2, EINECS/ELINCS: 273-103-3, Reg-No.: 01-2119540515-43-XXXX
	GHS/CLP: Skin Sens. 1: H317 - Aquatic Chronic 3: H412
	SCL [%]: >= 46: Skin Sens. 1B: H317
1 - < 3	Phosphoric acid esters, amine salt
	EINECS/ELINCS: 942-466-6
	GHS/CLP: Eye Dam. 1: H318
0,1 - < 0,25	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol
	CAS: 95-38-5, EINECS/ELINCS: 202-414-9, Reg-No.: 01-2119777867-13-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1B: H314 - STOT RE 2: H373 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410,
	M-Factor (acute): 10, M-Factor (chronic): 1

Comment on component parts

For full text of H-statements and R-phrases: see SECTION 16. Contains less than 3% w/w DMSO-extract (only for mineral oils)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with plenty of water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Consult a doctor immediately.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Sulphur oxides (SOx). Nitrogen oxides (NOx).

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 20.01.2025, Revision 20.01.2025

Version 2.0. Supersedes version: 1.0

Page 3 / 10

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures necessary if used correctly.

Use only in well-ventilated areas. Use solvent-resistant equipment.

Do not eat, drink or smoke when using this product.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Cloths contaminated with product should not be kept in trouser pockets.

Take off contaminated clothing and wash before reuse.

Contaminated work clothing should not be allowed out of the workplace.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Keep container tightly closed.

Keep container in a well-ventilated place.

7.3 Specific end use(s)

See product use, SECTION 1.2





Date printed 20.01.2025, Revision 20.01.2025

Version 2.0. Supersedes version: 1.0

Page 4 / 10

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

not relevant

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance	
Polysulfides, di-tert-Bu, CAS: 68937-96-2	
No DNEL values could be derived for the substance with respect to systemic effects.	
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4	
There are no DNEL values established for the substance.	
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5	
Industrial, inhalative, Long-term - systemic effects, 0.46 mg/m³	
Industrial, inhalative, Acute - systemic effects, 14 mg/m³	
Industrial, dermal, Long-term - systemic effects, 0.06 mg/kg bw/day	
Industrial, dermal, Acute - systemic effects, 2 mg/kg bw/day 2 mg/kg bw/day	

PNEC

Substance	
Polysulfides, di-tert-Bu, CAS: 68937-96-2	
There are no PNEC values established for the substance.	
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4	
There are no PNEC values established for the substance.	
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5	
freshwater, 30 ng/L	
seawater, 3 ng/L	
sewage treatment plants (STP), 270 μg/L	
sediment (freshwater), 376 µg/kg sediment dw	
sediment (seawater), 37.6 μg/kg sediment dw	
soil, 75 μg/kg soil dw	

8.2 Exposure controls

Additional advice on system design

Ensure adequate ventilation on workstation.

General exposure limit for oil mist should be noted.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information

> 0,4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).

Skin protection Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.

Respiratory protection not applicable

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

Ferdinand Bilstein GmbH + Co. KG

Date printed 20.01.2025, Revision 20.01.2025

Version 2.0. Supersedes version: 1.0

Page 5 / 10

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state liquid **Form** liquid Color yellow Odor characteristic

Odour threshold No information available.

pH-value not applicable pH-value [1%] not applicable

Boiling point or initial boiling point

and boiling range [°C]

No information available.

Flash point [°C] 218

Flammability No information available. Lower explosion limit No information available. No information available. Upper explosion limit

Oxidising properties

Vapour pressure/gas pressure [kPa] No information available.

0,85 (DIN 51757) (15 °C / 59,0 °F) Density [g/cm³]

Relative density not determined Bulk density [kg/m³] not applicable Solubility in water immiscible

Solubility other solvents No information available. Partition coefficient n-octanol/water No information available.

(log value)

Kinematic viscosity 50,2 mm²/s (40°C) Relative vapour density No information available. Melting point [°C] No information available.

Auto-ignition temperature [°C] not applicable

Decomposition temperature [°C] No information available.

Particle characteristics not applicable

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

No special measures necessary.

10.5 Incompatible materials

Strong oxidizing agent. Strong basic compounds Strong acids.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 20.01.2025, Revision 20.01.2025

Version 2.0. Supersedes version: 1.0

Page 6 / 10

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Substance

Polysulfides, di-tert-Bu, CAS: 68937-96-2

LD50, oral, Rat, >5000 mg/kg bw

1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4

LD50, oral, Rat, 2000 - 5000 mg/kg bw

NOAEL, oral, Rat, 1000 - 6771 mg/kg bw/day

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5

Acute dermal toxicity

Substance

1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4

LD50, dermal, Rat, 2000 mg/kg bw

LD50, oral, Rat, 1265 mg/kg

Acute inhalational toxicity

Substance

1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4

LC50, inhalative, Rat, 900 - 5200 mg/m³ air

Serious eye damage/irritation Toxicological data of complete product are not available.

Irritant

Calculation method

Skin corrosion/irritation Toxicological data of complete product are not available.

No classification. Calculation method

Respiratory or skin sensitisation Toxicological data of complete product are not available.

No classification.

Classification was carried out based on substance-specific concentration limits.

Specific target organ toxicity —

single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5

NOAEL, oral, Rat, 20 mg/kg bw/day

MutagenicityBased on the available information, the classification criteria are not fulfilled.Reproduction toxicityBased on the available information, the classification criteria are not fulfilled.CarcinogenicityBased on the available information, the classification criteria are not fulfilled.Aspiration hazardBased on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

Does not contain a relevant substance that meets the classification criteria.

11.2.2 Other information

none

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 20.01.2025, Revision 20.01.2025

Version 2.0. Supersedes version: 1.0

Page 7 / 10

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

Behaviour in environment compartments

Behaviour in sewage plant not determined Biological degradability not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Does not contain a relevant substance that meets the classification criteria.

12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

Ferdinand Bilstein GmbH + Co. KG

Date printed 20.01.2025, Revision 20.01.2025

Version 2.0. Supersedes version: 1.0

Page 8 / 10

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

130206*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

ebi bilstein

Page 9 / 10

Ferdinand Bilstein GmbH + Co. KG

Date printed 20.01.2025, Revision 20.01.2025

Version 2.0. Supersedes version: 1.0

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances ≥ 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the

following restrictions. 3

TRANSPORT-REGULATIONS ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers.

Observe employment restrictions for young people.

- VOC (2010/75/CE) not relevant

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

bfe00312

Ferdinand Bilstein GmbH + Co. KG

Date printed 20.01.2025, Revision 20.01.2025



Page 10 / 10 Version 2.0. Supersedes version: 1.0

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H373 May cause damage to organs through prolonged or repeated exposure.

H314 Causes severe skin burns and eye damage.

H302 Harmful if swallowed.

H318 Causes serious eve damage.

H412 Harmful to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

ATE = acute toxicity estimate CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform Chemical Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

Modified position 9.1, 11.2, 12.6, 15.1, 16.3