Ferdinand Bilstein GmbH + Co. KG

Date printed 29.01.2025, Revision 28.01.2025



Version 2.0. Supersedes version: 1.0 Page 1 / 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Gear oil DCTF-P

Article number: 194700

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Gearbox oil

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Acute Tox. 4: H332 Harmful if inhaled.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms

!

Signal word WARNING

Contains: 1-Decene, Dimer, hydrogenated Hazard statements H332 Harmful if inhaled.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P312 Call a POISON CENTER / doctor if you feel unwell.

P405 Store locked up.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards

Physico-chemical hazards Combustible.

Environmental hazards Does not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

ebi

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.01.2025, Revision 28.01.2025

Version 2.0. Supersedes version: 1.0

Page 2 / 13

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
20 - < 50	1-Decene, Dimer, hydrogenated
	CAS: 68649-11-6, EINECS/ELINCS: 500-228-5, Reg-No.: 01-2119493069-28-XXXX
	GHS/CLP: Acute Tox. 4: H332 - Asp. Tox. 1: H304
20 - < 50	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - <10	Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt)
	CAS: 64742-65-0, EINECS/ELINCS: 265-169-7, Reg-No.: 01-2119471299-27-XXXX
	GHS/CLP: Asp. Tox. 1: H304
0,1 - < 1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene
	CAS: 68411-46-1, EINECS/ELINCS: 270-128-1, Reg-No.: 01-2119491299-23-XXXX
	GHS/CLP: Repr. 2: H361f - Aquatic Chronic 3: H412
0,1 - < 0,25	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol
	CAS: 1218787-32-6, EINECS/ELINCS: 620-540-6, Reg-No.: 01-2119510877-33-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1C: H314 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M-Factor (acute): 10, M-Factor (chronic): 1
0,001 - < 0,1	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine
	EINECS/ELINCS: 939-485-7, Reg-No.: 01-2119974116-35
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1B: H314 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M-Factor (acute): 100, M-Factor (chronic): 1

Comment on component parts For full text of H-statements: see SECTION 16.

Mixture containing mineral oil. Mineral oil with <3% DMSO extract according to IP 346.

A lubricating grease containing highly-refined mineral oils and additives.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Seek medical advice immediately.

Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

If swallowed or in the event of vomiting, risk of product entering the lungs.

Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not

be used

Ingestion

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.01.2025, Revision 28.01.2025



Version 2.0. Supersedes version: 1.0 Page 3 / 13

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.

Use only in well-ventilated areas.

The product is combustible.

Do not eat, drink or smoke when using this product.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Cloths contaminated with product should not be kept in trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container in a well-ventilated place.

Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.01.2025, Revision 28.01.2025



Version 2.0. Supersedes version: 1.0 Page 4 / 13

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)

CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX

Long-term exposure: 5 mg/m³, oil mist

Short-term exposure (15-minute): 10 mg/m³

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³
Industrial, inhalative, Long-term - local effects, 5.58 mg/m³
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m³
general population, oral, Long-term - systemic effects, 740 μg/kg bw/day
1-Decene, Dimer, hydrogenated, CAS: 68649-11-6
Industrial, inhalative, Acute - systemic effects, 60 mg/m³ 60 mg/m³
general population, inhalative, Acute - systemic effects, 50 mg/m³ 60 mg/m³
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
Industrial, inhalative, Long-term - systemic effects, 2,73 mg/m³
Industrial, inhalative, Long-term - local effects, 5,58 mg/m³
Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day
general population, oral, Long-term - local effects, 740 µg/kg bw/day
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6
Industrial, inhalative, Long-term - systemic effects, 2.96 mg/m³
Industrial, dermal, Long-term - systemic effects, 420 μg/kg bw/day
general population, inhalative, Long-term - systemic effects, 522 μg/m³
general population, dermal, Long-term - systemic effects, 150 μg/kg bw/day
general population, oral, Long-term - systemic effects, 150 μg/kg bw/day
3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine
Industrial, inhalative, Long-term - systemic effects, 4.9 mg/m³ (AF= 25)
Industrial, dermal, Long-term - systemic effects, 0.7 mg/kg bw/d (AF= 100)
general population, inhalative, Long-term - systemic effects, 0.74 mg/m³ (AF= 50)
general population, dermal, Long-term - systemic effects, 250 μg/kg bw/day
general population, oral, Long-term - systemic effects, 250 μg/kg bw/day
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
Industrial, inhalative, Long-term - systemic effects, 0,31 mg/m³
Industrial, dermal, Long-term - systemic effects, 0,44 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 0,08 mg/m³
general population, dermal, Long-term - systemic effects, 0,22 mg/kg bw/day
general population, oral, Long-term - systemic effects, 0,05 mg/kg bw/day

PNEC

Substance	
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7	
oral (food), 9,33 mg/kg	
1-Decene, Dimer, hydrogenated, CAS: 68649-11-6	

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.01.2025, Revision 28.01.2025

Version 2.0. Supersedes version: 1.0

Page 5 / 13

There are no PNEC values established for the substance.
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
oral (food), 9,33 mg/kg food
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6
freshwater, 0.214 μg/L
seawater, 0.021 µg/L
sewage treatment plants (STP), 1500 μg/L
sediment (freshwater), 1.692 mg/kg sediment dw
sediment (seawater), 0.169 mg/kg sediment dw
soil, 5 mg/kg soil dw
oral (food), 2 mg/kg food
3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine
freshwater, 0.84 µg/L (AF= 50)
seawater, 0.084 µg/L (AF= 500)
sewage treatment plants (STP), 1.3 mg/L (AF= 10)
sediment (freshwater), 3.19 mg/kg dw (AF= 1)
sediment (seawater), 0.32 mg/kg dw (AF= 10)
soil, 1.59 mg/kg dw (AF= 1)
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
freshwater, 0,034 mg/L
seawater, 0,003 mg/L
sewage treatment plants (STP), 10 mg/L
sediment (freshwater), 0,446 mg/kg sediment dw
sediment (seawater), 0,045 mg/kg sediment dw
soil, 17,6 mg/kg soil dw

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

General exposure limit for oil mist should be noted.

Eye protection Safety glasses. (EN 166:2001)

oral (food), 0,833 mg/kg food

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0.4mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection light protective clothing

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.

Respiratory protection Breathing apparatus in the event of aerosol or mist formation.

Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)

Thermal hazards No information available.

Delimitation and monitoring of the environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.01.2025, Revision 28.01.2025

Version 2.0. Supersedes version: 1.0

Page 6 / 13

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state liquid **Form** liquid Color amber colour Odor characteristic

Odour threshold No information available.

pH-value not applicable pH-value [1%] not applicable Boiling point or initial boiling point not applicable

and boiling range [°C]

Flash point [°C] 185 **Flammability** yes

Lower explosion limit not applicable Upper explosion limit not applicable

Oxidising properties no

Vapour pressure/gas pressure [kPa] not determined Density [g/cm³] 0,82 (15 °C / 59,0 °F) Relative density not determined Bulk density [kg/m³] not applicable Solubility in water virtually insoluble

Solubility other solvents No information available. Partition coefficient n-octanol/water No information available.

(log value)

Kinematic viscosity 26,5 mm²/s (40°C) Relative vapour density No information available. Melting point [°C] No information available.

Auto-ignition temperature [°C] not applicable

Decomposition temperature [°C] No information available.

Particle characteristics not applicable

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

No special measures necessary.

10.5 Incompatible materials

Strong oxidizing agent. Strong acids.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.01.2025, Revision 28.01.2025



Version 2.0. Supersedes version: 1.0

Page 7 / 13

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute oral toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, oral, Rat, 5000 mg/kg bw

1-Decene, Dimer, hydrogenated, CAS: 68649-11-6

LD50, oral, Rat, 2000 - 5000 mg/kg bw

Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0

LD50, oral, Rat, 5000 mg/kg bw

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6

LD50, oral, Rat, 1200 - 2000 mg/kg bw

NOEL, oral, Rat, 5 mg/kg bw/day

3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine

LD50, oral, Rat, 200 - 2000 mg/kg bw

NOAEL, oral, Rat, 50 mg/kg bw/day

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1

LC50, oral, Rat, > 5000 mg/kg, OECD 401

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

1-Decene, Dimer, hydrogenated, CAS: 68649-11-6

LD50, dermal, Rat, 2000 mg/kg bw

Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0

LD50, dermal, Rabbit, > 2000 - 5000 mg/kg bw

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6

No information available.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1

LD50, dermal, Rat, > 2000 mg/kg, OECD 402

Acute inhalational toxicity

Product

ATE-mix, inhalative, 3,66 mg/l

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

1-Decene, Dimer, hydrogenated, CAS: 68649-11-6

LC50, inhalative, Rat, 900 - 5200 mg/m³ air, 4h

Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0

LC50, inhalative, Rat, 2,18 - 5,53 mg/L air 4h, 4h

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6

No information available.

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.01.2025, Revision 28.01.2025



Version 2.0. Supersedes version: 1.0

Page 8 / 13

Substance

Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0

Eye, non-irritating

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1

Eye, OECD 405, non-irritating

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0

dermal, non-irritating

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1

dermal, non-irritating

Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled.

Substance

1-Decene, Dimer, hydrogenated, CAS: 68649-11-6

dermal, Guinea pig, OECD 406, non-sensitizing

Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0

dermal, non-sensitizing

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1

dermal, Guinea pig, OECD 406, non-sensitizing

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

NOAEL, dermal, Rabbit, 1000 mg/kg bw/day

NOAEC, inhalative, Rat, 980 mg/m³ air

LOAEL, oral, Rat, 125 mg/kg bw/day

1-Decene, Dimer, hydrogenated, CAS: 68649-11-6

NOAEL, oral, Rat, 1000 - 6771 mg/kg bw/day

Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0

NOAEL, inhalative, Rat, 980 mg/m³ air, no adverse effect observed

LOAEL, dermal, mouse, 100 mg/kg bw/day, The effects observed are not sufficient for classification.

LOAEL, oral, Rat, 125 mg/kg bw/day, The effects observed are not sufficient for classification.

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6

NOAEL, oral, Dog, 13 mg/kg bw/day

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

1-Decene, Dimer, hydrogenated, CAS: 68649-11-6

no adverse effect observed

Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0

in vitro, negativ

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1

in vitro, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7



Ferdinand Bilstein GmbH + Co. KG

Date printed 29.01.2025, Revision 28.01.2025

Version 2.0. Supersedes version: 1.0

Page 9 / 13

NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0

NOAEL, oral, Rat, 1000 mg/kg bw/d, no adverse effect observed

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1

NOAEL, oral, Rat, 54 mg/kg bw/day, adverse effect observed

- **Development** No information available.

CarcinogenicityBased on the available information, the classification criteria are not fulfilled.Aspiration hazardBased on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

Does not contain a relevant substance that meets the classification criteria.

11.2.2 Other information none

SECTION 12: Ecological information

12.1 Toxicity

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 EC50, (48h), > 10000 mg/l (Gammarus pulex), OECD 202
EC50, (48h), > 10000 mg/l (Gammarus pulex), OECD 202
EC50, (72h), Algae, > 100 mg/l
NOEC, (72h), Pseudokirchneriella subcapitata, ≥ 100 mg/l, OECD 201
NOEC, (21d), Daphnia magna, 10 mg/l, OECD 211
LL50, (96h), Fish, > 100 mg/l, OECD 203
1-Decene, Dimer, hydrogenated, CAS: 68649-11-6
No information available.
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
NOELR, (14d), Fish, 1 g/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), Fish, 100 mg/L
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6
LC50, (24h), Danio rerio, >0.29 mg/L (OECD 203)
EC50, (24h), Daphnia magna, 0.21 mg/L (OECD 202)
EC10, (21d), Daphnia magna, 10.7 μg/L (OECD 211)
EC10, (72h), Daphnia magna, 34.1 μg/L (OECD 201)
3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine
LC50, (96h), Fish, 2.14 mg/L
EC50, (72h), Algae, 82.7 - 86.8 μg/L
EC10, (21d), Invertebrates, 1.22 - 1.28 mg/L
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
LC50, (96h), Fish, > 100 mg/l, OECD 203
EC50, (72h), Algae, > 100 mg/l, OECD 201
EC50, (48h), Daphnia magna, 51 mg/l, OECD 202

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.01.2025, Revision 28.01.2025

Version 2.0. Supersedes version: 1.0

Page 10 / 13

12.2 Persistence and degradability

Does not contain a relevant substance that meets the classification criteria.

Behaviour in environment compartments

Behaviour in sewage plant

Biological degradability

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

(28d), 31 %, OECD 301 F, The product is not readily biodegradable.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1

The product is not readily biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Disposal in an incineration plant in accordance with the regulations of the local authorities.

In according to RoHS!

Waste no. (recommended) 130205* mineral-based non-chlorinated engine, gear and lubricating oils

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances

150102 150104

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.01.2025, Revision 28.01.2025

Version 2.0. Supersedes version: 1.0

Page 11 / 13

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

no

ADR/RID

Inland navigation (ADN) no

Marine transport in accordance with no

IMDG

Air transport in accordance with IATA no

ebi

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.01.2025, Revision 28.01.2025

Version 2.0. Supersedes version: 1.0

Page 12 / 13

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances $\geq 0.1\%$ that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the

following restrictions. 3

TRANSPORT-REGULATIONS ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for young people.

Observe employment restrictions for mothers-to-be and nursing mothers.

- VOC (2010/75/CE) <1 %

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H314 Causes severe skin burns and eye damage.

H302 Harmful if swallowed.

H412 Harmful to aquatic life with long lasting effects.

H361f Suspected of damaging fertility.

H304 May be fatal if swallowed and enters airways.

H332 Harmful if inhaled.

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.01.2025, Revision 28.01.2025



Version 2.0. Supersedes version: 1.0 Page 13 / 13

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure Acute Tox. 4: H332 Harmful if inhaled. (Calculation method)

Modified position 2.1, 2.2, 3.2, 8.1, 9.1, 11.1, 11.2, 12.1, 12.6, 15.1, 16.3