Date printed 17.03.2025, Revision 19.03.2024



Version 14.0. Supersedes version: 13.0 Page 1 / 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

grease

Article number: 21909

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictogramsnoneSignal wordnoneHazard statementsnone

Special labelling EUH210 Safety data sheet available on request.

Contains: Naphthenic acids, zinc salts. EUH208 May produce an allergic reaction.

2.3 Other hazards

Physico-chemical hazards No particular hazards known.

Human health dangers The substance/mixture does not contain components considered to have endocrine disrupting

properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Environmental hazards This substance/mixture contains no components considered to be either persistent,

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels

of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other hazards none

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

Date printed 17.03.2025, Revision 19.03.2024



Version 14.0. Supersedes version: 13.0 Page 2 / 12

3.2 Mixtures

The product is a mixture.

Range [%]	Substance	
1 - < 2,5	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	-
	CAS: 85940-28-9, EINECS/ELINCS: 288-917-4, Reg-No.: 01-2119521201-61-XXXX	
	GHS/CLP: Eye Irrit. 2: H319 - Skin Irrit. 2: H315 - Aquatic Chronic 2: H411	
0,1 - < 1	Dilithium tetraborate	
	CAS: 12007-60-2, EINECS/ELINCS: 234-514-3, Reg-No.: 01-2120770724-49-XXXX	
	GHS/CLP: Eye Dam. 1: H318 - Acute Tox. 4: H302 - Repr. 2: H361d	
	SCL [%]: >= 3,8: Repr. 2: H361	
0,1 - < 1	Naphthenic acids, zinc salts	
	CAS: 12001-85-3, EINECS/ELINCS: 234-409-2, Reg-No.: 01-2120783834-41-XXXX	
	GHS/CLP: Eye Irrit. 2: H319 - Skin Sens. 1B: H317 - Aquatic Chronic 2: H411	

Comment on component parts

For full text of H-statements: see SECTION 16.

Contains less than 3% w/w DMSO-extract (only for mineral oils)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Seek medical advice immediately.

Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Sulphur oxides (SOx). Carbon monoxide (CO)

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

Ferdinand Bilstein GmbH + Co. KG

Date printed 17.03.2025, Revision 19.03.2024



Version 14.0. Supersedes version: 13.0 Page 3 / 12

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures necessary if used correctly.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2

Date printed 17.03.2025, Revision 19.03.2024



Version 14.0. Supersedes version: 13.0 Page 4 / 12

SECTION 8: Exposure controls / personal protection

Substance

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

not relevant

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance
Naphthenic acids, zinc salts, CAS: 12001-85-3
Industrial, inhalative, Long-term - systemic effects, 1.18 mg/m³ (AF=75)
Industrial, dermal, Long-term - systemic effects, 3.3 mg/kg bw/d (AF=30)
general population, dermal, Long-term - systemic effects, 1.7 mg/kg bw/d (AF=60)
general population, oral, Long-term - systemic effects, 0.17 ng/kg bw/d (AF=600)
general population, inhalative, Long-term - systemic effects, 0.29 mg/m³ (AF=150)
Dilithium tetraborate, CAS: 12007-60-2
Industrial, inhalative, Long-term - systemic effects, 7.1 mg/m³ (AF= 12.5)
Industrial, dermal, Long-term - systemic effects, 333 mg/kg bw/D (AF= 30)
general population, dermal, Long-term - systemic effects, 166 mg/kg bw/D (AF= 60)
general population, oral, Long-term - systemic effects, 0.83 mg/kg bw/D (AF= 60)
general population, inhalative, Long-term - systemic effects, 1.74 mg/m³ (AF= 25)
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
Industrial, inhalative, Long-term - systemic effects, 6,6 mg/m³
Industrial, dermal, Long-term - systemic effects, 9,6 mg/kg bw/d
general population, inhalative, Long-term - systemic effects, 1,67 mg/m³
general population, dermal, Long-term - systemic effects, 4,8 mg/kg bw/d
general population, oral, Long-term - systemic effects, 0,19 mg/kg bw/d

PNEC

Naphthenic acids, zinc salts, CAS: 12001-85-3
freshwater, 0.004 mg/L (AF= 1000)
seawater, 0 mg/L (AF= 10000)
sewage treatment plants (STP), 689.7 μg/L (AF= 1)
sediment (freshwater), 0.015 mg/kg dw
sediment (seawater), 0.002 mg/kg dw
soil, 0.001 mg/kg dw
Dilithium tetraborate, CAS: 12007-60-2
sewage treatment plants (STP), 44 mg/L
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
freshwater, 0,002 mg/l (AF=1000)
seawater, 0,0002 mg/l (AF=10000)
sewage treatment plants (STP), 100 mg/l (AF=100)
sediment (freshwater), 19,3 mg/kg dw
sediment (seawater), 1,93 mg/kg dw
soil, 15,7 mg/kg dw

Ferdinand Bilstein GmbH + Co. KG

Date printed 17.03.2025, Revision 19.03.2024



Version 14.0. Supersedes version: 13.0 Page 5 / 12

8.2 Exposure controls

Additional advice on system design Ensure adequate ventilation on workstation.

General exposure limit for oil mist should be noted.

Eye protection If there is a risk of splashing:

safety glasses

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection light protective clothing

Personal protective equipment should be selected specifically for the working place, Other

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin. Respiratory protection Not required under normal conditions.

Thermal hazards

Delimitation and monitoring of the environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state solid **Form** pasty Color green Odor characteristic Odour threshold not relevant not applicable pH-value pH-value [1%] not applicable

Boiling point or initial boiling point

and boiling range [°C]

No information available.

Flash point [°C] not applicable

Flammability No information available. Lower explosion limit No information available. Upper explosion limit No information available.

Oxidising properties

Vapour pressure/gas pressure [kPa] No information available. Density [g/cm³] 0,9 (DIN 51757) (25°C / 77,0°F)

Relative density No information available.

Bulk density [kg/m³] not applicable Solubility in water immiscible

Solubility other solvents No information available. Partition coefficient n-octanol/water No information available.

(log value) Kinematic viscosity

NGLI 2

Relative vapour density No information available. No information available. Melting point [°C] Auto-ignition temperature [°C] No information available. Decomposition temperature [°C] No information available.

Particle characteristics not applicable

Other information

Drop point: 250°C

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

Ferdinand Bilstein GmbH + Co. KG

Date printed 17.03.2025, Revision 19.03.2024



Version 14.0. Supersedes version: 13.0

Page 6 / 12

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

Oxidizing agent Strong acids. Strong bases

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Date printed 17.03.2025, Revision 19.03.2024



Version 14.0. Supersedes version: 13.0 Page 7 / 12

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.

Substance

Naphthenic acids, zinc salts, CAS: 12001-85-3

LD50, oral, Rat, > 2000 mg/kg

Dilithium tetraborate, CAS: 12007-60-2

LD50, oral, Rat, 300 - 2000 mg/kg bw

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9

LD50, oral, Rat, 3080 mg/kg bw

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Dilithium tetraborate, CAS: 12007-60-2

LD50, dermal, Rat, > 2000 mg/kg bw

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9

LD50, dermal, Rabbit, 20000 mg/kg bw

Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9

LC50, inhalative, Rat, 2.3 mg/L air, 4h

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Substance

Naphthenic acids, zinc salts, CAS: 12001-85-3

Eye, irritant

Dilithium tetraborate, CAS: 12007-60-2

Eye, Causes serious eye damage.

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9

Causes serious eye damage.

Skin corrosion/irritationBased on the available information, the classification criteria are not fulfilled.

Substance

Naphthenic acids, zinc salts, CAS: 12001-85-3

dermal, no adverse effect observed, keine schädliche Wirkung beobachtet,

Dilithium tetraborate, CAS: 12007-60-2

dermal, non-irritating

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9

irritant

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Substance

Naphthenic acids, zinc salts, CAS: 12001-85-3

Ferdinand Bilstein GmbH + Co. KG

Date printed 17.03.2025, Revision 19.03.2024



Version 14.0. Supersedes version: 13.0 Page 8 / 12

dermal, sensitising

Dilithium tetraborate, CAS: 12007-60-2

dermal, non-sensitizing

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9

dermal, non-sensitizing

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity —

Based on the available information, the classification criteria are not fulfilled.

repeated exposure

Substance

Naphthenic acids, zinc salts, CAS: 12001-85-3

NOAEL, oral, Rat, 89,7 mg/kg bw/day
Dilithium tetraborate, CAS: 12007-60-2

NOAEL, oral, Rat, 150 mg/kg bw/day

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9

NOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Naphthenic acids, zinc salts, CAS: 12001-85-3

in vitro, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance

Dilithium tetraborate, CAS: 12007-60-2

NOAEL, oral, Rat, 150 mg/kg bw/d (Effect on fertility), no adverse effect observed

- Development

Substance

Dilithium tetraborate, CAS: 12007-60-2

NOAEL, oral, Rat, 50 mg/kg bw/d (Effect on developmental toxicity)

CarcinogenicityBased on the available information, the classification criteria are not fulfilled.Aspiration hazardBased on the available information, the classification criteria are not fulfilled.

General remarks Frequent persistent contact with the skin can cause dermatitis.

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2 Other information

none

Ferdinand Bilstein GmbH + Co. KG

Date printed 17.03.2025, Revision 19.03.2024



Version 14.0. Supersedes version: 13.0 Page 9 / 12

SECTION 12: Ecological information

12.1 Toxicity

Substance
Naphthenic acids, zinc salts, CAS: 12001-85-3
EC50, (72h), Algae, 4 mg/L
EL50, (48h), Daphnia magna, 35 mg/L
LL50, (96h), Fish, 100 mg/L
Dilithium tetraborate, CAS: 12007-60-2
LC50, (96h), Fish, 100 mg/L
EC50, (48h), Daphnia magna, 100 mg/L
EC50, (72h), Algae, 100 mg/L
NOEC, (72h), Algae, 32 mg/L
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
EC50, (48h), Invertebrates, 5.4 mg/L
EC50, (96h), Algae, 2 - 2.1 mg/L
NOEC, (21d), Invertebrates, 400 - 800 μg/L
LL50, (96h), Oncorhynchus mykiss, 4,5 mg/l

12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant not determined Biological degradability not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment.

Ferdinand Bilstein GmbH + Co. KG

Date printed 17.03.2025, Revision 19.03.2024



Page 10 / 12 Version 14.0. Supersedes version: 13.0

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the disposal contractor/authorities if necessary.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 120112* spent waxes and fats

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances

150102 150104

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with

not applicable

IMDG

Air transport in accordance with IATA not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 17.03.2025, Revision 19.03.2024



Version 14.0. Supersedes version: 13.0 Page 11 / 12

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN) no

Marine transport in accordance with

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances \geq 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to

any restrictions.

TRANSPORT-REGULATIONS ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers. Observe

employment restrictions for young people.

- VOC (2010/75/CE) not relevant

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

Ferdinand Bilstein GmbH + Co. KG

Date printed 17.03.2025, Revision 19.03.2024



Version 14.0. Supersedes version: 13.0 Page 12 / 12

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H315 Causes skin irritation.

H411 Toxic to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H361d Suspected of damaging the unborn child.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position

3.2