# Safety Data Sheet (UK REACH) (UK)

automatic transmission fluid (ATF) Article number 22806, 26681, 26680, 30018, 194477



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 15.0. Supersedes version: 14.1

Page 1 / 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

automatic transmission fluid (ATF)

Article number: 22806, 26681, 26680, 30018, 194477

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Gearbox oil

#### 1.2.2 Uses advised against

None known.

# 1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

#### 1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

The product does not require a hazard warning label in accordance with regulation CLP.

Hazard pictogramsnoneSignal wordnoneHazard statementsnonePrecautionary statementsnone

#### 2.3 Other hazards

Physico-chemical hazards No particular hazards known.

**Human health dangers** Frequent persistent contact with the skin can cause skin irritation.

**Environmental hazards** Does not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards none

#### **SECTION 3: Composition / Information on ingredients**

# 3.1 Substances

not applicable



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 15.0. Supersedes version: 14.1

Page 2 / 10

#### 3.2 Mixtures

# The product is a mixture.

Range [%]	Substance
25 - 50	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - <2,5	Methacrylate copolymer
	EINECS/ELINCS: polymer
	GHS/CLP: Eye Irrit. 2: H319

**Comment on component parts** For full text of H-statements and R-phrases: see SECTION 16.

Contains less than 3% w/w DMSO-extract (only for mineral oils)

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

Get medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

#### 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.

Treat symptomatically.

Forward this sheet to your doctor.

#### **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet

# 5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 15.0. Supersedes version: 14.1

Page 3 / 10

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Take up residues with absorbent material (e.g. sand).

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

No special measures necessary if used correctly.

Avoid formation of aerosols.

The product is combustible.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Protect from heat/overheating.

# 7.3 Specific end use(s)

See product use, SECTION 1.2

# SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (UK)

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)

CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX

Long-term exposure: 5 mg/m³, oil mist

Short-term exposure (15-minute): 10 mg/m³

# Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

#### **DNEL**

Q,	ihe	ta	nce	

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³

Industrial, inhalative, Long-term - local effects, 5.58 mg/m<sup>3</sup>

Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day

general population, inhalative, Long-term - local effects, 1.19 mg/m³

general population, oral, Long-term - systemic effects, 740 μg/kg bw/day

#### **PNEC**

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

oral (food), 9,33 mg/kg



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 15.0. Supersedes version: 14.1

Page 4 / 10

#### 8.2 Exposure controls

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

General exposure limit for oil mist should be noted.

**Eye protection** If there is a risk of splashing:

safety glasses (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).

**Skin protection** light protective clothing

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

**Respiratory protection** Not required under normal conditions.

In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear

appropriate respiratory protection.

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

#### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical stateliquidFormliquidColorred

Odor like mineral oil
Odour threshold not relevant
pH-value not applicable
pH-value [1%] not applicable

Boiling point or initial boiling point

and boiling range [°C]

No information available.

Flash point [°C] 226 Flammability yes

**Lower explosion limit** 0,6 Vol % (DIN EN 1839) **Upper explosion limit** 6,5 Vol % (DIN EN 1839)

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

**Density [g/cm³]** 0,848 (DIN 51757) (20 °C / 68,0 °F)

Relative density No information available.

Bulk density [kg/m³] not applicable
Solubility in water immiscible

Solubility other solvents No information available.

Partition coefficient n-octanol/water No information available.

(log value)

Kinematic viscosity 36 mm²/s (40° C)

Relative vapour density

Melting point [°C]

Auto-ignition temperature [°C]

No information available.

No information available.

No information available.

No information available.

Particle characteristics not applicable

# 9.2 Other information

Pour point: -48 °C (DIN ISO 3016)



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 15.0. Supersedes version: 14.1

Page 5 / 10

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No dangerous reactions known if used as directed.

# 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

# 10.3 Possibility of hazardous reactions

No dangerous reactions known if used as directed.

# 10.4 Conditions to avoid

Strong heating.

# 10.5 Incompatible materials

Strong oxidizing agent.

# 10.6 Hazardous decomposition products

No hazardous decomposition products known.



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 15.0. Supersedes version: 14.1

Page 6 / 10

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, oral, Rat, > 5000 mg/kg bw

#### Acute dermal toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, dermal, Rabbit, > 5000 mg/kg bw

#### Acute inhalational toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation

Skin corrosion/irritation

Respiratory or skin sensitisation

Specific target organ toxicity —

single exposure

Specific target organ toxicity —

repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

NOAEL, dermal, Rabbit, 1000 mg/kg bw/day

NOAEC, inhalative, Rat, 980 mg/m3 air

LOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity
Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

- Fertility

**General remarks** 

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

- **Development** No information available.

CarcinogenicityBased on the available information, the classification criteria are not fulfilled.Aspiration hazardBased on the available information, the classification criteria are not fulfilled.

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.



Page 7 / 10

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 15.0. Supersedes version: 14.1

#### 11.2 Information on other hazards

11.2.1 Endocrine disrupting

Does not contain a relevant substance that meets the classification criteria.

properties

11.2.2 Other information none

# **SECTION 12: Ecological information**

Product

#### 12.1 Toxicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

EC50, (48h), > 10000 mg/l (Gammarus pulex), OECD 202

EC50, (72h), Algae, > 100 mg/l

NOEC, (72h), Pseudokirchneriella subcapitata, ≥ 100 mg/l, OECD 201

NOEC, (21d), Daphnia magna, 10 mg/l, OECD 211

LL50, (96h), Fish, > 100 mg/l, OECD 203

#### 12.2 Persistence and degradability

Behaviour in environment

not determined

compartments

Behaviour in sewage plant not determined Biological degradability not determined

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

(28d), 31 %, OECD 301 F, The product is not readily biodegradable.

#### 12.3 Bioaccumulative potential

No information available.

# 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

# 12.6 Endocrine disrupting properties

Does not contain a relevant substance that meets the classification criteria.

#### 12.7 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive.



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 15.0. Supersedes version: 14.1

Page 8 / 10

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

In according to RoHS!

Disposal in an incineration plant in accordance with the regulations of the local authorities.

For recycling, consult manufacturer.

Waste no. (recommended)

130205\* mineral-based non-chlorinated engine, gear and lubricating oils

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

150102 Waste no. (recommended)

150104

150110\* packaging containing residues of or contaminated by hazardous substances

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

automatic transmission fluid (ATF) Article number 22806, 26681, 26680, 30018, 194477



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 15.0. Supersedes version: 14.1

Page 9 / 10

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with

**IMDG** 

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 2008/98/EG (2000/532/EC ); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances  $\geq$  0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to

any restrictions.

TRANSPORT-REGULATIONS ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

no

- VOC (2010/75/CE) 0%

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

# **SECTION 16: Other information**

#### 16.1 Hazard statements (SECTION 3)

H319 Causes serious eye irritation.

H304 May be fatal if swallowed and enters airways.



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 15.0. Supersedes version: 14.1 Page 14.1

Page 10 / 10

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

# 16.3 Other information

Classification procedure

**Modified position** 

1.1, 2.1, 2.2, 2.3, 3.2, 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.3, 7.1, 7.2, 8.1, 8.2, 9.1, 10.3, 10.4

10.5, 11.1, 11.2, 12.1, 12.2, 12.6, 12.7, 13.1, 15.1, 15.2, 16.1, 16.3