Date printed 27.01.2025, Revision 14.01.2025



Version 18.0. Supersedes version: 17.0 Page 1 / 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

hydraulic fluid

Article number: 24704 UFI: CXD6-X20E-D00E-FU7T

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Hydraulics oil

1.2.2 Uses advised against

For all uses not specified in SECTION 1.2.1

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms

Signal word DANGER

Contains: Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-

extract)

Hazard statements H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of

disposal.

2.3 Other hazards

Physico-chemical hazards No particular hazards known.

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

If swallowed or in the event of vomiting, risk of product entering the lungs.

Environmental hazardsDoes not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards No particular hazards known.

Date printed 27.01.2025, Revision 14.01.2025



Version 18.0. Supersedes version: 17.0 Page 2 / 13

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance		
50 - <100	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract)		
	CAS: 72623-86-0, EINECS/ELINCS: 276-737-9, EU-INDEX: 649-221-00-X, Reg-No.: 01-2119474878-16-XXXX		
	GHS/CLP: Asp. Tox. 1: H304		
0,1 - <1	Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate		
	EINECS/ELINCS: 945-730-9, Reg-No.: 01-2119511174-52-XXXX		
	GHS/CLP: Aquatic Acute 1: H400 - Aquatic Chronic 3: H412, M-Factor (acute): 1		
0,1 - <1	2,6-di-tert-butyl-p-cresol		
	CAS: 128-37-0, EINECS/ELINCS: 204-881-4, Reg-No.: 01-2119555270-46-XXXX		
	GHS/CLP: Aquatic Chronic 1: H410 - Aquatic Acute 1: H400, M-Factor (acute): 1, M-Factor (chronic): 1		

Comment on component parts

For full text of H-statements: see SECTION 16.

Contains less than 3% w/w DMSO-extract (only for mineral oils)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

Seek medical advice immediately.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.

Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)

Ferdinand Bilstein GmbH + Co. KG

Date printed 27.01.2025, Revision 14.01.2025



Version 18.0. Supersedes version: 17.0 Page 3 / 13

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

In case the product spills into drains/surface waters/groundwater, immediately inform the

authorities.

Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).

Dispose of absorbed material in accordance within the regulations.

Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

Precautions for safe handling

Avoid formation of aerosols.

The product is combustible.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Cloths contaminated with product should not be kept in trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep container in a well-ventilated place.

Specific end use(s)

See product use, SECTION 1.2

Date printed 27.01.2025, Revision 14.01.2025



Version 18.0. Supersedes version: 17.0 Page 4 / 13

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance

Substance

Substance

2,6-di-tert-butyl-p-cresol

CAS: 128-37-0, EINECS/ELINCS: 204-881-4, Reg-No.: 01-2119555270-46-XXXX

general population, inhalative, Long-term - systemic effects, 0,875 mg/m³

Long-term exposure: 10 mg/m³

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0				
Industrial, inhalative, Long-term - systemic effects, 1.76 mg/m³				
Industrial, dermal, Long-term - systemic effects, 500 μg/kg bw/day				
general population, inhalative, Long-term - systemic effects, 435 μg/m³				
general population, dermal, Long-term - systemic effects, 250 µg/kg bw/day				
general population, oral, Long-term - systemic effects, 250 μg/kg bw/day				
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0				
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³				
Industrial, inhalative, Long-term - local effects, 5.58 mg/m³				
Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day				
general population, inhalative, Long-term - local effects, 1.19 mg/m³				
general population, oral, Long-term - systemic effects, 740 μg/kg bw/day				
Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate				
Industrial, inhalative, Long-term - systemic effects, 3,5 mg/m³				
Industrial, dermal, Long-term - systemic effects, 0,5 mg/kg bw/day				
general population, dermal, Long-term - systemic effects, 0,25 mg/kg bw/day				
general population, oral, Long-term - systemic effects, 0,25 mg/kg bw/day				

PNEC

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
freshwater, 199 ng/L
sediment (seawater), 19.9 ng/L
sewage treatment plants (STP), 17 μg/L
sediment (freshwater), 458.19 µg/kg sediment dw
sediment (seawater), 45.82 µg/kg sediment dw
oral (food), 16.67 mg/kg food
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
oral (food), 9.33 mg/kg food
Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate
freshwater, 0,002 mg/L
seawater, 0 mg/L
sediment (freshwater), 3,43 mg/kg sediment dw
sediment (seawater), 0,343 mg/kg sediment dw
soil, 0,68 mg/kg soil dw
oral (food), 267 mg/kg food

Ferdinand Bilstein GmbH + Co. KG

Date printed 27.01.2025, Revision 14.01.2025



Version 18.0. Supersedes version: 17.0 Page 5 / 13

8.2 Exposure controls

General exposure limit for oil mist should be noted.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection If there is a risk of splashing:

Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,4 mm: Neoprene, >480 min (EN 374-1/-2/-3).> 0,4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Respiratory protection Breathing apparatus in the event of aerosol or mist formation.

Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)

Thermal hazards non

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Form liquid
Color green
Odor characteristic

Odour threshold No information available.

pH-value not applicablepH-value [1%] not applicable

Boiling point or initial boiling point

and boiling range [°C]

No information available.

Flash point [°C] 125

Flammability No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

Density [g/cm³] 0,84 (15 °C / 59,0 °F)

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water immiscible

Solubility other solvents No information available.

Partition coefficient n-octanol/water No information available.

(log value)

Kinematic viscosity

Relative vapour density

Melting point [°C]

Auto-ignition temperature [°C]

No information available.

No information available.

No information available.

No information available.

Particle characteristics not applicable

9.2 Other information

none

Ferdinand Bilstein GmbH + Co. KG

Date printed 27.01.2025, Revision 14.01.2025



Version 18.0. Supersedes version: 17.0 Page 6 / 13

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Strong oxidizing agent. Acids Strong basic compounds

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Date printed 27.01.2025, Revision 14.01.2025



Version 18.0. Supersedes version: 17.0 Page 7 / 13

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.

Substance

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0

LD50, oral, Rat, 2930 - 6000 mg/kg bw

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

LD50, oral, Rat, 5000 mg/kg bw

Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate

LD50, oral, Rat, > 5000 mg/kg

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0

LD50, dermal, Rat, > 2000 mg/kg bw

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate

LD50, dermal, Rat, > 2000 mg/kg

Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Substance

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0

Eye, non-irritating

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

Eye, non-irritating

Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate

Rabbit, OECD 405, non-irritating

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0

dermal, non-irritating

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-

Ferdinand Bilstein GmbH + Co. KG

Date printed 27.01.2025, Revision 14.01.2025



Version 18.0. Supersedes version: 17.0 Page 8 / 13

86-0

dermal, non-irritating

Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate

Rabbit, OECD 404, non-irritating

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Substance

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0

dermal, non-sensitizing

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

dermal, non-sensitizing

Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate

non-sensitizing

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0

NOAEL, oral, Rat, 25 - 70 mg/kg bw/day

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

NOAEC, inhalative, Rat, 980 mg/m3 air

LOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0

in vitro, negativ

in vivo, negativ

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

in vitro, negativ

Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate

Salmonella typhimurium, OECD 471, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

NOAEL, oral, Rat, 1000 mg/kg bw/day

Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate

NOAEL, oral, Rat, 60 mg/kg bw/d (Effect on fertility), adverse effect observed

NOAEL, oral, Rat, 900 mg/kg bw/d (Effect on developmental toxicity), no adverse effect observed

- Development

Substance

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0

Ferdinand Bilstein GmbH + Co. KG

Date printed 27.01.2025, Revision 14.01.2025



Version 18.0. Supersedes version: 17.0 Page 9 / 13

NOAEL, oral, Rat, 25 mg/kg bw/day

Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate

NOAEL, oral, Rat, 60 mg/kg bw/d (Effect on fertility), adverse effect observed

NOAEL, oral, Rat, 900 mg/kg bw/d (Effect on developmental toxicity), no adverse effect observed

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard Based on the available information, the classification criteria are fulfilled.

May be fatal if swallowed and enters airways.

On basis of test data

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

Contains no ingredients with endocrine-disrupting properties.

11.2.2 Other information nor

SECTION 12: Ecological information

12.1 Toxicity

bsta	

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0

LC50, (96h), Fish, 199 - 570 µg/L

EC50, (96h), Algae, 758 μg/L

EC50, (48h), Invertebrates, 480 - 610 μg/L

NOEC, (21d), Invertebrates, 23 - 316 μg/L

NOEC, (33d), Fish, 53 µg/L

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

NOELR, (14d), Fish, 1 g/L

LL50, (96h), Invertebrates, 10 g/L

LL50, (96h), Fish, 100 mg/L

Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate

LC50, (96h), Oryzias latipes, 1,3 mg/L

EC50, (72h), Desmodesmus subspicatus, 0,55 mg/L

NOEC, (21d), Daphnia magna, 0,12 mg/L

12.2 Persistence and degradability

Behaviour in environment compartments

Behaviour in sewage plant

Biological degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic

processes, e.g. mechanical separation.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

Ferdinand Bilstein GmbH + Co. KG

Date printed 27.01.2025, Revision 14.01.2025



Version 18.0. Supersedes version: 17.0 Page 10 / 13

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.

Coordinate disposal with the authorities if necessary.

In according to RoHS!

130205* mineral-based non-chlorinated engine, gear and lubricating oils Waste no. (recommended)

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150102

150104

150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

NO DANGEROUS GOODS

ADR/RID

Inland navigation (ADN) NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Ferdinand Bilstein GmbH + Co. KG

Date printed 27.01.2025, Revision 14.01.2025



Version 18.0. Supersedes version: 17.0 Page 11 / 13

14.3 Transport hazard class(es)

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

Inland navigation (ADN)

no

Marine transport in accordance with no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 27.01.2025, Revision 14.01.2025



Version 18.0. Supersedes version: 17.0 Page 12 / 13

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances ≥ 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product does not

contain any substances ≥ 0.1% that are restricted.

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the

following restrictions. 3

TRANSPORT-REGULATIONS ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP. not applicable

- Observe employment restrictions

for people

- VOC (2010/75/CE) 0%

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H304 May be fatal if swallowed and enters airways.

Ferdinand Bilstein GmbH + Co. KG

Date printed 27.01.2025, Revision 14.01.2025



Version 18.0. Supersedes version: 17.0 Page 13 / 13

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (On basis of test data) Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method)

Modified position

1.1, 2.1, 2.2, 2.3, 3.2, 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.2, 7.1, 7.2, 8.1, 8.2, 9.1, 9.2, 10.2, 10.3, 10.4, 10.5, 11.1, 12.1, 12.2, 12.7, 13.1, 15.1, 15.2, 16.1, 16.3