

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

screw locking
Article number: 26708, 26707

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Adhesive

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG
Wilhelmstr. 47
58256 Ennepetal / GERMANY
Phone +49 2333 911-0
Fax +49 2333 911-444
Homepage www.febi.com
E-mail info@febi.com

Address enquiries to

Technical information info@febi.com

Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No. 1272/2008 (CLP).

Hazard pictograms none

Hazard statements none

Special labelling EUH210 Safety data sheet available on request.

2.3 Other hazards

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

Environmental hazards No particular hazards known.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 25.10.2024, Revision 25.10.2024

Version 11.0. Supersedes version: 10.0 Page 2 / 10

3.2 Mixtures

The product is a mixture.

| Range [%] | Substance |
|-----------|---|
| < 1 | Cumene hydroperoxide |
| | CAS: 80-15-9, EINECS/ELINCS: 201-254-7, EU-INDEX: 617-002-00-8, Reg-No.: 01-2119475796-19-XXXX |
| | GHS/CLP: Org. Perox. E: H242 - Acute Tox. 3: H331 - Acute Tox. 4: H302 H312 - STOT RE 2: H373 - Skin Corr. 1B: H314 - Aquatic Chronic 2: H411 - STOT SE 3: H335 |
| | SCL [%]: >=1 - <3: Eye Irrit. 2: H319, >=3 - <10: Eye Dam. 1: H318, >=3 - <10: Skin Irrit. 2: H315, >=10: Skin Corr. 1A: H314, <10: STOT SE 3: H335 |

Comment on component parts For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

| | |
|---------------------|---|
| General information | Change soaked clothing. |
| Inhalation | Ensure supply of fresh air. In the event of symptoms seek medical treatment. |
| Skin contact | When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists. |
| Eye contact | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| Ingestion | Seek medical advice immediately. |

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

| | |
|---|--|
| Suitable extinguishing media | Foam, dry powder, water spray jet, carbon dioxide. |
| Extinguishing media that must not be used | Full water jet. |

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.



Ferdinand Bilstein GmbH + Co. KG

Date printed 25.10.2024, Revision 25.10.2024

Version 11.0. Supersedes version: 10.0 Page 3 / 10

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, universal absorbent, diatomaceous earth).
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Wash hands before breaks and after work.
Use barrier skin cream.
Do not eat, drink or smoke when using this product.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Do not use metal containers.

Protect from heat/overheating.
Keep in a cool place. Store in a dry place.
Recommended storage temperature: +5°C - +25°C

7.3 Specific end use(s)

This product is not recommended for use in joints which will be in contact with either pure oxygen or steam.

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

not relevant

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

| |
|---|
| Substance |
| Cumene hydroperoxide, CAS: 80-15-9 |
| Industrial, inhalative, Long-term - systemic effects, 6 mg/m³ (AF=5,25) |

PNEC

| |
|---|
| Substance |
| Cumene hydroperoxide, CAS: 80-15-9 |
| freshwater, 0,003 mg/l (AF=1000) |
| seawater, 0 mg/l (AF=10000) |
| sewage treatment plants (STP), 0,35 mg/l (AF=1) |
| sediment (freshwater), 0,023 mg/kg dw |
| sediment (seawater), 0,002 mg/kg dw |
| soil, 0,003 mg/kg dw |

Ferdinand Bilstein GmbH + Co. KG

Date printed 25.10.2024, Revision 25.10.2024

Version 11.0. Supersedes version: 10.0

Page 4 / 10

8.2 Exposure controls

| | |
|--|---|
| Additional advice on system design | Ensure adequate ventilation on workstation. |
| Eye protection | safety glasses (EN 166:2001) |
| Hand protection | The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Viton, >480 min (EN 374-1/-2/-3). |
| Skin protection | light protective clothing |
| Other | Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. |
| Respiratory protection | No dangerous reactions known if used as directed. |
| Thermal hazards | not applicable |
| Delimitation and monitoring of the environmental exposition | Comply with applicable environmental regulations limiting discharge to air, water and soil. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|------------------------------|
| Physical state | liquid |
| Form | pasty |
| Color | blue |
| Odor | characteristic |
| Odour threshold | No information available. |
| pH-value | not applicable |
| pH-value [1%] | not applicable |
| Boiling point or initial boiling point and boiling range [°C] | No information available. |
| Flash point [°C] | > 93 |
| Flammability | No information available. |
| Lower explosion limit | not applicable |
| Upper explosion limit | not applicable |
| Oxidising properties | no |
| Vapour pressure/gas pressure [kPa] | not determined |
| Density [g/cm³] | 1,05 - 1,1 (20 °C / 68,0 °F) |
| Relative density | not determined |
| Bulk density [kg/m³] | not applicable |
| Solubility in water | virtually insoluble |
| Solubility other solvents | No information available. |
| Partition coefficient n-octanol/water (log value) | No information available. |
| Kinematic viscosity | See product information |
| Relative vapour density | No information available. |
| Melting point [°C] | No information available. |
| Auto-ignition temperature [°C] | No information available. |
| Decomposition temperature [°C] | No information available. |
| Particle characteristics | No information available. |

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.
Reactions with reducing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

See SECTION 10.3.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

| |
|------------------------------------|
| Substance |
| Cumene hydroperoxide, CAS: 80-15-9 |
| LD50, oral, Rat, 382 mg/kg |

Acute dermal toxicity

| |
|------------------------------------|
| Substance |
| Cumene hydroperoxide, CAS: 80-15-9 |
| LD50, dermal, Rabbit, 133,6 mg/kg |
| LD50, dermal, Rat, 1200 mg/kg |

Acute inhalational toxicity

| |
|---|
| Substance |
| Cumene hydroperoxide, CAS: 80-15-9 |
| LC50, inhalative, Rat, 220 ppm=1,37 mg/l/4h |

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

| |
|---|
| Substance |
| Cumene hydroperoxide, CAS: 80-15-9 |
| Harmonised classification: Eye Dam. 318 |

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

| |
|--|
| Substance |
| Cumene hydroperoxide, CAS: 80-15-9 |
| Harmonised classification: Skin Corr 1B H314 |

Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

| |
|---|
| Substance |
| Cumene hydroperoxide, CAS: 80-15-9 |
| Harmonised classification: STOT RE 2 H373 |

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

| |
|--|
| Substance |
| Cumene hydroperoxide, CAS: 80-15-9 |
| NOAEL, oral, Rat, ≥ 100 mg/kg bw/day (OECD 414) |

- Development

| |
|--|
| Substance |
| Cumene hydroperoxide, CAS: 80-15-9 |
| NOAEL, oral, Rat, ≥ 100 mg/kg bw/day (OECD 414) |

Ferdinand Bilstein GmbH + Co. KG

Date printed 25.10.2024, Revision 25.10.2024

Version 11.0. Supersedes version: 10.0

Page 7 / 10

| | |
|--------------------------|--|
| Carcinogenicity | Based on the available information, the classification criteria are not fulfilled. |
| Aspiration hazard | Based on the available information, the classification criteria are not fulfilled. |
| General remarks | Toxicological data of complete product are not available. |

11.2 Information on other hazards

| | |
|---|---|
| 11.2.1 Endocrine disrupting properties | Contains no ingredients with endocrine-disrupting properties. |
| 11.2.2 Other information | none |

SECTION 12: Ecological information

12.1 Toxicity

| |
|--|
| Substance |
| Cumene hydroperoxide, CAS: 80-15-9 |
| LC50, (96h), Oncorhynchus mykiss, 3,9 mg/l |
| EC50, (48h), Daphnia magna, 18,84 mg/l |

12.2 Persistence and degradability

Behaviour in environment compartments
Behaviour in sewage plant
Biological degradability

| |
|--|
| Substance |
| Cumene hydroperoxide, CAS: 80-15-9 |
| (28d), 2 - 7%, OECD 301 B, The product is not readily biodegradable. |

12.3 Bioaccumulative potential

Product has having no bioaccumulation potential.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Do not discharge product unmonitored into the environment.
The product is insoluble in water.



Ferdinand Bilstein GmbH + Co. KG

Date printed 25.10.2024, Revision 25.10.2024

Version 11.0. Supersedes version: 10.0

Page 8 / 10

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

| | |
|-------------------------|--|
| Product | Coordinate disposal with the disposal contractor/authorities if necessary. |
| Waste no. (recommended) | 080410 |
| Contaminated packaging | Uncontaminated packaging may be taken for recycling. Contaminated packing should be disposed of as product waste. |
| Waste no. (recommended) | 150102 150104 |

SECTION 14: Transport information

14.1 UN number or ID number

| | |
|--|----------------|
| Transport by land according to ADR/RID | not applicable |
| Inland navigation (ADN) | not applicable |
| Marine transport in accordance with IMDG | not applicable |
| Air transport in accordance with IATA | not applicable |

14.2 UN proper shipping name

| | |
|--|-------------------------------------|
| Transport by land according to ADR/RID | NO DANGEROUS GOODS |
| Inland navigation (ADN) | NO DANGEROUS GOODS |
| Marine transport in accordance with IMDG | NOT CLASSIFIED AS "DANGEROUS GOODS" |
| Air transport in accordance with IATA | NOT CLASSIFIED AS "DANGEROUS GOODS" |

14.3 Transport hazard class(es)

| | |
|--|----------------|
| Transport by land according to ADR/RID | not applicable |
| Inland navigation (ADN) | not applicable |
| Marine transport in accordance with IMDG | not applicable |
| Air transport in accordance with IATA | not applicable |

Ferdinand Bilstein GmbH + Co. KG

Date printed 25.10.2024, Revision 25.10.2024

Version 11.0. Supersedes version: 10.0 Page 9 / 10

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| | |
|--|--|
| EEC-REGULATIONS | 2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707 |
| - Comment on component parts | Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. |
| - Annex XIV (REACH) | According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\geq 0.1\%$ that are subject to authorisation. |
| - Annex XVII (REACH) | According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions. 75 According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions. |
| TRANSPORT-REGULATIONS | ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024) |
| NATIONAL REGULATIONS (UK): | EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP. |
| - Observe employment restrictions for people | no |
| - VOC (2010/75/CE) | not determined |

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H335 May cause respiratory irritation.
H411 Toxic to aquatic life with long lasting effects.
H314 Causes severe skin burns and eye damage.
H373 May cause damage to organs through prolonged or repeated exposure.
H302+H312 Harmful if swallowed or in contact with skin.
H331 Toxic if inhaled.
H242 Heating may cause a fire.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

| | |
|--------------------------|----------------|
| Customs Tariff | not determined |
| Classification procedure | |
| Modified position | 2.2, 3.2 |