

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Gear oil 75W - 90
Article number: 32590, 194014

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG
Wilhelmstr. 47
58256 Ennepetal / GERMANY
Phone +49 2333 911-0
Fax +49 2333 911-444
Homepage www.febi.com
E-mail info@febi.com

Address enquiries to

Technical information info@febi.com

Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body Call NHS 111 or a doctor

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms none

Signal word none

Hazard statements none

Precautionary statements none

Special labelling EUH210 Safety data sheet available on request.

Contains: Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched). EUH208 May produce an allergic reaction.

2.3 Other hazards

Physico-chemical hazards No particular hazards known.

Human health dangers The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Environmental hazards This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB). The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 01.08.2025, Revision 01.08.2025

Version 14.0. Supersedes version: 13.0

Page 2 / 14

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
20 - < 50	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX GHS/CLP: Asp. Tox. 1: H304
1 - <4,5	Polysulfides, di-tert-Bu CAS: 68937-96-2, EINECS/ELINCS: 273-103-3, Reg-No.: 01-2119540515-43-XXXX GHS/CLP: Skin Sens. 1: H317 - Aquatic Chronic 3: H412 SCL [%]: 46 - 100: Skin Sens. 1B: H317
1 - <2,5	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) EINECS/ELINCS: 931-384-6, Reg-No.: 01-2119493620-38-XXXX GHS/CLP: Acute Tox. 4: H302 - Eye Irrit. 2: H319 - Skin Sens. 1: H317 - Aquatic Chronic 2: H411 SCL [%]: 50 - 100: Eye Irrit. 2: H319, 9,4 - 100: Skin Sens. 1: H317
0,1 - <1	O,O,O-Triphenyl phosphorothioate CAS: 597-82-0, EINECS/ELINCS: 209-909-9, Reg-No.: 01-2119979545-21-XXXX GHS/CLP: Aquatic Chronic 1: H410, M-Factor (chronic): 10
0,1 - <1	Magnesium metaborate CAS: 13703-82-7, EINECS/ELINCS: 237-235-5, Reg-No.: 01-2120769073-53-XXXX GHS/CLP: Skin Sens. 1B: H317 SCL [%]: > 15: Skin Sens. 1: H317

Comment on component parts

For full text of H-statements and R-phrases: see SECTION 16.
Contains less than 3% w/w DMSO-extract (only for mineral oils)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	In case of contact with skin wash off immediately with plenty of water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Consult a doctor immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide
Extinguishing media that must not be used	Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)
Sulphur oxides (SOx).
Nitrogen oxides (NOx).

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).

Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures necessary if used correctly.

Use only in well-ventilated areas.

Use solvent-resistant equipment.

Do not eat, drink or smoke when using this product.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Cloths contaminated with product should not be kept in trouser pockets.

Take off contaminated clothing and wash before reuse.

Contaminated work clothing should not be allowed out of the workplace.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Keep container tightly closed.

Keep container in a well-ventilated place.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance
Hydrocarbon Oil Liquid
Long-term exposure: 5 mg/m ³ , Oil mist, 84

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance
O,O,O-Triphenyl phosphorothioate, CAS: 597-82-0
Industrial, inhalative, Long-term - systemic effects, 1.39 mg/m ³
Industrial, dermal, Long-term - systemic effects, 400 µg/kg bw/day
general population, inhalative, Long-term - systemic effects, 340 µg/m ³
general population, dermal, Long-term - systemic effects, 200 µg/kg bw/day
general population, oral, Long-term - systemic effects, 200 µg/kg bw/day
Polysulfides, di-tert-Bu, CAS: 68937-96-2
No DNEL values could be derived for the substance with respect to systemic effects.
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m ³
Industrial, inhalative, Long-term - local effects, 5.58 mg/m ³
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, oral, Long-term - systemic effects, 0.74mg/kg bw/day
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
Industrial, inhalative, Long-term - systemic effects, 4.28 mg/m ³
Industrial, dermal, Long-term - systemic effects, 12.5 mg/kg bw/day
Industrial, dermal, Long-term - local effects, 160 µg/cm ²
Industrial, dermal, Acute - local effects, 160 µg/cm ²
general population, inhalative, Long-term - systemic effects, 1.09 mg/m ³
general population, dermal, Long-term - systemic effects, 6.25 mg/kg bw/day
general population, dermal, Long-term - local effects, 160 µg/cm ²
general population, dermal, Acute - local effects, 160 µg/cm ²
general population, oral, Long-term - systemic effects, 250 µg/kg bw/day
Magnesium metaborate, CAS: 13703-82-7
Industrial, inhalative, Long-term - systemic effects, 5.49 mg/m ³
Industrial, dermal, Long-term - systemic effects, 7.78 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 0.82 mg/m ³
general population, dermal, Long-term - systemic effects, 0.278 mg/kg bw/day
general population, oral, Long-term - systemic effects, 0.28 mg/kg bw/day

PNEC

Substance
O,O,O-Triphenyl phosphorothioate, CAS: 597-82-0
freshwater, 0.17µg/L
seawater, 0.017µg/L
sewage treatment plants (STP), 10mg/L
sediment (freshwater), 33.9mg/kg sediment dw
sediment (seawater), 3.39mg/kg sediment dw
soil, 2.46mg/kg soil dw
Polysulfides, di-tert-Bu, CAS: 68937-96-2

There are no PNEC values established for the substance.
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
oral (food), 9.33 mg/kg food
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
freshwater, 2.4 µg/L
seawater, 240 ng/L
sewage treatment plants (STP), 24.33 mg/L
sediment (freshwater), 12.9 µg/kg sediment dw
sediment (seawater), 1.29 µg/kg sediment dw
soil, 1.17 µg/kg soil dw
Magnesium metaborate, CAS: 13703-82-7
freshwater, 0.05 mg/L
seawater, 0.05 mg/L
sewage treatment plants (STP), 100 mg/L
sediment (freshwater), 1.38 mg/kg sediment dw
sediment (seawater), 1.38 mg/kg sediment dw
soil, 0.247 mg/kg soil dw
oral (food), 1.67 mg/kg food

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
Respiratory protection	not applicable
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	liquid
Color	brown
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point or initial boiling point and boiling range [°C]	No information available.
Flash point [°C]	210 °C / 410 °F (EN ISO 2592 (COC))
Flammability	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	0,86 (DIN 51757) (15 °C / 59,0 °F)
Relative density	No information available.
Bulk density [kg/m³]	not applicable
Solubility in water [g/L]	miscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	not applicable
Kinematic viscosity	113,9 mm²/s, 40 °C / 104 °F (DIN 51562)
Relative vapour density	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	not applicable
Decomposition temperature [°C]	No information available.
Particle characteristics	not applicable

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

No special measures necessary.

10.5 Incompatible materials

Strong oxidizing agent.
Strong basic compounds
Strong acids.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity Based on available data, the classification criteria are not met.

Product
ATE-mix, oral, > 5000 mg/kg bw
Substance
O,O,O-Triphenyl phosphorothioate, CAS: 597-82-0
LC50, oral, Rat, >10,000 mg/kg bw, OECD 401
NOAEL, oral, Rat, 1000 mg/kg bw/day, OECD 408
Polysulfides, di-tert-Bu, CAS: 68937-96-2
LD50, oral, Rat, >5000 mg/kg bw
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LD50, oral, Rat, > 5000 mg/kg bw
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
LD50, oral, Rat, 2000 mg/kg bw (OECD 401)
NOAEL, oral, 150 mg/kg bw/day
Magnesium metaborate, CAS: 13703-82-7
LD50, oral, Rat, >2000 mg/kg bw (OECD 420)

Acute dermal toxicity Based on available data, the classification criteria are not met.

Product
dermal, Based on the available information, the classification criteria are not fulfilled.
Substance
O,O,O-Triphenyl phosphorothioate, CAS: 597-82-0
LD50, dermal, Rat, >2,000 mg/kg bw, OECD 402
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LD50, dermal, Rabbit, > 5000 mg/kg bw
Magnesium metaborate, CAS: 13703-82-7
LD50, dermal, Rat, 2000 mg/kg bw

Acute inhalational toxicity Based on available data, the classification criteria are not met.

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.
Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LC50, inhalative, Rat, > 5 mg/L, 4h

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.
Non-irritant.
Classification was carried out based on substance-specific concentration limits.

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
Eye, non-irritating
Magnesium metaborate, CAS: 13703-82-7
Eye, no adverse effect observed

Skin corrosion/irritation No classification.
Calculation method

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

Ferdinand Bilstein GmbH + Co. KG

Date printed 01.08.2025, Revision 01.08.2025

Version 14.0. Supersedes version: 13.0

Page 9 / 14

dermal, non-irritating
Magnesium metaborate, CAS: 13703-82-7
dermal, no adverse effect observed

Respiratory or skin sensitisation Non-sensitizing.
On basis of test data

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
dermal, non-sensitizing
Magnesium metaborate, CAS: 13703-82-7
dermal, sensitising

Specific target organ toxicity — single exposure Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure Based on the available information, the classification criteria are not fulfilled.

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOAEC, inhalative, Rat, 980 mg/m ³ air
LOAEL, oral, Rat, 125 mg/kg bw/day
Magnesium metaborate, CAS: 13703-82-7
NOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity Based on the available information, the classification criteria are not fulfilled.

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
in vitro, negativ
Magnesium metaborate, CAS: 13703-82-7
in vivo, negativ

Reproduction toxicity Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOAEL, oral, Rat, 1000 mg/kg bw/day

- Development No information available.

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2 Other information none

SECTION 12: Ecological information

12.1 Toxicity

Product
No classification due to toxicological investigations.
Based on the available information, the classification criteria are not fulfilled.
Substance
O,O,O-Triphenyl phosphorothioate, CAS: 597-82-0
EC50, (48h), Daphnia magna, >100 mg/L, OECD 202
IC50, (3h), Activated sewage sludge, >100 mg/L, OECD 209
EL50, (72h), Desmodemus subspicatus, >100 mg/L, OECD 201
NOEC, (90d), Oncorhynchus mykiss, 1.7 µg/L
NOEC, (21d), Daphnia magna, >= 7.24 µg/L
LL50, (96h), Brachidanio rerio, >100 mg/L, OECD 203
Polysulfides, di-tert-Bu, CAS: 68937-96-2
LC50, (96h), Fish, 0.681 mg/L
EC50, (48h), Daphnia magna, 0.255 mg/L, OECD 202
NOEC, (72h), Pseudokirchneriella subcapitata, 0.162 mg/L, OECD 201
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
EL50, (48h), Invertebrates, > 10000 mg/L
LL50, (4d), Fish, > 100 mg/L
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
EC50, (96h), Algae, 6.4 - 15 mg/L
EC50, (3h), Microorganisms, 2.433 g/L
EL50, (48h), Invertebrates, 91.4 mg/L
EL50, (21d), Invertebrates, 660 - 910 µg/L
LL50, (96h), Fish, 24 mg/L
Magnesium metaborate, CAS: 13703-82-7
EL50, (24h), Daphnia magna, >50mg/l (OECD 202)
EL50, (72h), Pseudokirchneriella subcapitata, >50mg/l (OECD 201)
LL50, (96h), Oncorhynchus mykiss, >50mg/l (OECD 203)

12.2 Persistence and degradability

Behaviour in environment compartments

Behaviour in sewage plant No information available.

Biological degradability

Substance
Polysulfides, di-tert-Bu, CAS: 68937-96-2
(28d), 13 %, OECD 301 B
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
(28d), 1 - 4 %, OECD 301 B, The product is not readily biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.



Ferdinand Bilstein GmbH + Co. KG

Date printed 01.08.2025, Revision 01.08.2025

Version 14.0. Supersedes version: 13.0 Page 11 / 14

12.5 Results of PBT and vPvB assessment

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).
CAS: 597-82-0

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product	In according to RoHS! Disposal in an incineration plant in accordance with the regulations of the local authorities.
Waste no. (recommended)	130206*
Contaminated packaging	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS
Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"

Ferdinand Bilstein GmbH + Co. KG

Date printed 01.08.2025, Revision 01.08.2025

Version 14.0. Supersedes version: 13.0 Page 12 / 14

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	
EEC-REGULATIONS	2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 2024/573; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707
- Comment on component parts	SVHC (Candidate List of Substances of Very High Concern for authorisation) ≥ 0.1% CAS 597-82-0 - O,O,O-Triphenyl phosphorothioate
- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances ≥ 0.1% that are subject to authorisation.
- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1% of substances with the following restrictions. 75 According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions.
TRANSPORT-REGULATIONS	ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)
NATIONAL REGULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.
- Observe employment restrictions for people	Observe employment restrictions for young people.
- VOC (2010/75/CE)	not relevant

15.2 Chemical safety assessment	For this product a chemical safety assessment has not been carried out.
--	---

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)	
	H410 Very toxic to aquatic life with long lasting effects. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. H317 May cause an allergic skin reaction. H304 May be fatal if swallowed and enters airways.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Modified position

2.3, 3.2, 11.1, 11.2, 12.1, 12.2, 12.3, 12.4, 12.5, 12.6, 12.7, 15.1, 15.2, 16.1, 16.2, 16.3