

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

**SAE 10W-40 Truck Special Longlife Plus
Article number: 34050, 34052**

1.2 Relevant identified uses of the substance or mixture and uses advised against**1.2.1 Relevant uses**

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet**Company**

Ferdinand Bilstein GmbH + Co. KG
Wilhelmstr. 47
58256 Ennepetal / GERMANY
Phone +49 2333 911-0
Fax +49 2333 911-444
Homepage www.febi.com
E-mail info@febi.com

Address enquiries to**Technical information**

info@febi.com

Safety Data Sheet

info@febi.com

1.4 Emergency telephone number**Advisory body**

Call NHS 111 or a doctor

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture [REGULATION (GB) CLP]**

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms

none

Signal word

none

Hazard statements

none

Precautionary statements

none

Special labelling

EUH210 Safety data sheet available on request.

Contains: Calcium sulfonate, Calcium sulfonate, borated. EUH208 May produce an allergic reaction.

2.3 Other hazards**Physico-chemical hazards**

No particular hazards known.

Human health dangers

Frequent persistent contact with the skin can cause skin irritation.

Environmental hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other hazards

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients**3.1 Substances**

not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 10.02.2025, Revision 10.02.2025

Version 12.0. Supersedes version: 11.0

Page 2 / 13

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
20 - < 50	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX GHS/CLP: Asp. Tox. 1: H304
1 - < 5	Benzenepropanoic acid, 3,5-bis(1,1-dimethyl-ethyl)-4-hydroxy-, C7-C9-branched alkyl ester CAS: 125643-61-0, EINECS/ELINCS: 406-040-9, EU-INDEX: 607-530-00-7, Reg-No.: 01-0000015551-76-XXXX GHS/CLP: Aquatic Chronic 4: H413
0,1 - < 1	Calcium sulfonate EINECS/ELINCS: Polymer GHS/CLP: Skin Sens. 1B: H317
0,1 - < 1	Calcium sulfonate, borated EINECS/ELINCS: polymer GHS/CLP: Skin Sens. 1B: H317 - Repr. 2: H361d
0,01 - < 0,1	Phenol, dodecyl-, branched CAS: 121158-58-5, EINECS/ELINCS: 310-154-3, EU-INDEX: 604-092-00-9, Reg-No.: 01-2119513207-49-XXXX GHS/CLP: Skin Corr. 1C: H314 - Repr. 1B: H360F - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410 - Eye Dam. 1: H318, M-Factor (acute): 10, M-Factor (chronic): 10

Comment on component parts

For full text of H-statements: see SECTION 16.
Contains less than 3% w/w DMSO-extract (only for mineral oils)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

When in contact with the skin, clean with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Do not induce vomiting.
Seek medical advice immediately.
Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of product entering the lungs.
Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).

Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.

Use only in well-ventilated areas.

Keep away from all sources of ignition - Refrain from smoking.

Do not eat, drink or smoke when using this product.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

Cloths contaminated with product should not be kept in trouser pockets.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container in a well-ventilated place.

Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection**8.1 Control parameters****Ingredients with occupational exposure limits to be monitored (UK)**

not relevant

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance
Phenol, dodecyl-, branched, CAS: 121158-58-5
Industrial, inhalative, Long-term - systemic effects, 1.762 mg/m ³
Industrial, inhalative, Acute - systemic effects, 44,18 mg/m ³
Industrial, dermal, Long-term - systemic effects, 0,25 mg/kg
Industrial, dermal, Acute - systemic effects, 166 mg/kg
general population, inhalative, Long-term - systemic effects, 0,79 mg/m ³
general population, inhalative, Acute - systemic effects, 13,26 mg/m ³
general population, dermal, Long-term - systemic effects, 0,075 mg/kg
general population, dermal, Acute - systemic effects, 50 mg/kg
general population, oral, Long-term - systemic effects, 0,075 mg/kg
general population, oral, Acute - systemic effects, 1,26 mg/kg
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m ³
Industrial, inhalative, Long-term - local effects, 5.58 mg/m ³
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, oral, Long-term - systemic effects, 0.74mg/kg bw/day
Benzenepropanoic acid, 3,5-bis(1,1-dimethyl-ethyl)-4-hydroxy-, C7-C9-branched alkyl ester, CAS: 125643-61-0
Industrial, inhalative, Long-term - systemic effects, 2.33 mg/m ³
Industrial, inhalative, Acute - systemic effects, 1750 mg/m ³
Industrial, dermal, Long-term - systemic effects, 220 µg/kg bw/day
Industrial, dermal, Acute - systemic effects, 20 mg/kg bw/day
Industrial, dermal, Long-term - local effects, 6 µg/cm ²
Industrial, dermal, Acute - local effects, 1 mg/cm ²
general population, inhalative, Long-term - systemic effects, 740 µg/m ³
general population, inhalative, Acute - systemic effects, 875 mg/m ³
general population, dermal, Long-term - systemic effects, 330 µg/kg bw/day
general population, dermal, Acute - local effects, 8.33 mg/cm ²
general population, oral, Long-term - systemic effects, 160 µg/kg bw/day
general population, oral, Acute - systemic effects, 50 mg/kg bw/day

PNEC

Substance
Phenol, dodecyl-, branched, CAS: 121158-58-5
freshwater, 0,074 µg/L
seawater, 0,007 µg/L
sediment (freshwater), 0,226 mg/kg
sediment (seawater), 0,027 mg/kg
soil, 0,118 mg/kg
oral (food), 4 mg/kg
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
oral (food), 9.33 mg/kg food
Benzenepropanoic acid, 3,5-bis(1,1-dimethyl-ethyl)-4-hydroxy-, C7-C9-branched alkyl ester, CAS: 125643-61-0
freshwater, 4.3 - 30 µg/L
seawater, 30 - 1800 ng/L

Ferdinand Bilstein GmbH + Co. KG

Date printed 10.02.2025, Revision 10.02.2025

Version 12.0. Supersedes version: 11.0

Page 5 / 13

sewage treatment plants (STP), 1 - 100 mg/L
sediment (freshwater), 370 - 233000 µg/kg sediment dw
soil, 50 - 189000 µg/kg soil dw
sediment (seawater), 37 - 23300 µg/kg sediment dw
oral (food), 41.33 mg/kg food

8.2 Exposure controls**Additional advice on system design**

Ensure adequate ventilation on workstation.

General exposure limit for oil mist should be noted.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.

Eye protection

Safety glasses. (EN 166:2001)

Hand protection

The details concerned are recommendations. Please contact the glove supplier for further information.

Nitrile butyl rubber (NBR) > 0,38 mm/, (EN 374-1/-2/-3).

Skin protection

light protective clothing

Other

Do not inhale gases/vapours/aerosols.

Avoid contact with eyes and skin.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.

Respiratory protection

Breathing apparatus in the event of aerosol or mist formation.

Thermal hazards

No information available.

Delimitation and monitoring of the environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Physical state	liquid
Form	liquid
Color	light brown
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	No information available.
Boiling point or initial boiling point and boiling range [°C]	not applicable
Flash point [°C]	234
Flammability	Not highly flammable.
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	0,86 (15 °C / 59,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	virtually insoluble
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	No information available.
Kinematic viscosity	101,39 mm²/s (40°C)
Relative vapour density	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	not applicable
Decomposition temperature [°C]	No information available.
Particle characteristics	not applicable

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Strong basic compounds

Strong acids.

Strong oxidizing agent.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product
oral, Based on the available information, the classification criteria are not fulfilled.
Substance
Phenol, dodecyl-, branched, CAS: 121158-58-5
LD50, oral, Rat, 2100 mg/kg bw
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LD50, oral, Rat, > 5000 mg/kg bw
Benzenepropanoic acid, 3,5-bis(1,1-dimethyl-ethyl)-4-hydroxy-, C7-C9-branched alkyl ester, CAS: 125643-61-0
LD50, oral, Rat, 500 - 2000 mg/kg bw

Acute dermal toxicity

Product
dermal, Based on the available information, the classification criteria are not fulfilled.
Substance
Phenol, dodecyl-, branched, CAS: 121158-58-5
LD50, dermal, Rabbit, 15000 mg/kg bw
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LD50, dermal, Rabbit, > 5000 mg/kg bw
Benzenepropanoic acid, 3,5-bis(1,1-dimethyl-ethyl)-4-hydroxy-, C7-C9-branched alkyl ester, CAS: 125643-61-0
LD50, dermal, Rat, 2000 mg/kg bw

Acute inhalational toxicity

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.
Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LC50, inhalative, Rat, > 5 mg/L, 4h

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
Eye, non-irritating

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
dermal, non-irritating

Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled.

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
dermal, non-sensitizing

Specific target organ toxicity — single exposure

Does not contain a relevant substance that meets the classification criteria.
Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

Does not contain a relevant substance that meets the classification criteria.
Based on the available information, the classification criteria are not fulfilled.



Ferdinand Bilstein GmbH + Co. KG

Date printed 10.02.2025, Revision 10.02.2025

Version 12.0. Supersedes version: 11.0 Page 8 / 13

Substance
Phenol, dodecyl-, branched, CAS: 121158-58-5
NOAEL, oral, Rat, 60 - 100 mg/kg bw/day
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOAEC, inhalative, Rat, 980 mg/m³ air
LOAEL, oral, Rat, 125 mg/kg bw/day
Benzenepropanoic acid, 3,5-bis(1,1-dimethyl-ethyl)-4-hydroxy-, C7-C9-branched alkyl ester, CAS: 125643-61-0
NOAEL, oral, Rat, 3 - 750 mg/kg bw/day
NOAEL, dermal, Rat, 500 - 1000 mg/kg bw/day

Mutagenicity Does not contain a relevant substance that meets the classification criteria.
Based on the available information, the classification criteria are not fulfilled.

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
in vitro, negativ

Reproduction toxicity Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOAEL, oral, Rat, 1000 mg/kg bw/day

- Development No information available.

Carcinogenicity Does not contain a relevant substance that meets the classification criteria.
Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties The mixture contains the following substances with endocrine disrupting potential.: EINECS: 310-154-3 / CAS 121158-58-5

11.2.2 Other information none

SECTION 12: Ecological information

Product

12.1 Toxicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Phenol, dodecyl-, branched, CAS: 121158-58-5

EC50, (48h), Invertebrates, 37 - 92.7 µg/L

EC50, (24h), Invertebrates, 106 µg/L

EC50, (21d), Invertebrates, 7.9 - 8.6 µg/L

EC50, (72h), Algae, 150 - 765 µg/L

EL50, (4d), Fish, 40 mg/L

NOEC, (72h), Algae, 70 - 442 µg/L

NOEC, (48h), Invertebrates, 11 µg/L

NOEC, (21d), Invertebrates, 3.7 µg/L

NOELR, (4d), Fish, 25 mg/L

EC0, (48h), Invertebrates, 56 µg/L

EC10, (72h), Algae, 530 - 765 µg/L

LOEC, (21d), Invertebrates, 12 µg/L

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

EL50, (48h), Invertebrates, > 10000 mg/L

LL50, (4d), Fish, > 100 mg/L

Benzenepropanoic acid, 3,5-bis(1,1-dimethyl-ethyl)-4-hydroxy-, C7-C9-branched alkyl ester, CAS: 125643-61-0

LC50, (14d), Fish, 100 mg/L

EC50, (48h), Invertebrates, 8.2 - 1000000 µg

EC50, (72h), Algae, 180 - 3000000 ng/L

EC50, (3h), Water microorganisms, 100 - 1000 mg/L

NOEC, (21d), Invertebrates, 10 µg/L

NOEC, (33d), Fish, 360 µg/L

12.2 Persistence and degradability

Behaviour in environment compartments not determined

Behaviour in sewage plant Can be separated out mechanically in purification plants.

Biological degradability The product is not readily biodegradable.

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

(28d), 1 - 4 %, OECD 301 B, The product is not readily biodegradable.

Benzenepropanoic acid, 3,5-bis(1,1-dimethyl-ethyl)-4-hydroxy-, C7-C9-branched alkyl ester, CAS: 125643-61-0

The product is not biodegradable.

12.3 Bioaccumulative potential

No information available.

Substance

Phenol, dodecyl-, branched, CAS: 121158-58-5

BCF, 289

log Pow, 7,4



Ferdinand Bilstein GmbH + Co. KG

Date printed 10.02.2025, Revision 10.02.2025

Version 12.0. Supersedes version: 11.0 Page 10 / 13

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

The mixture contains the following substances with endocrine disrupting potential.: EINECS: 310-154-3 / CAS 121158-58-5

12.7 Other adverse effects

Ecological data of complete product are not available.
Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product	In according to RoHS! Coordinate disposal with the authorities if necessary.
Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
Contaminated packaging	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS
Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"



Ferdinand Bilstein GmbH + Co. KG

Date printed 10.02.2025, Revision 10.02.2025

Version 12.0. Supersedes version: 11.0 Page 11 / 13

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 10.02.2025, Revision 10.02.2025

Version 12.0. Supersedes version: 11.0 Page 12 / 13

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	
EEC-REGULATIONS	2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707
- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances ≥ 0.1% that are subject to authorisation.
- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1% of substances with the following restrictions. 75 According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions.
TRANSPORT-REGULATIONS	ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)
NATIONAL REGULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.
- Observe employment restrictions for people	no
- VOC (2010/75/CE)	0 %
15.2 Chemical safety assessment	not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)	
	H304 May be fatal if swallowed and enters airways. H410 Very toxic to aquatic life with long lasting effects. H400 Very toxic to aquatic life. H360F May damage fertility. H314 Causes severe skin burns and eye damage. H361d Suspected of damaging the unborn child. H317 May cause an allergic skin reaction. H413 May cause long lasting harmful effects to aquatic life.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position

1.3, 2.3, 3.2, 4.2, 8.1, 9.1, 11.1, 11.2, 12.6, 15.1, 16.2, 16.3