Multipurpose Grease for Compressed Air Brake Systems Article number 45692, 38139, 44626, 38129



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 5.0. Supersedes version: 4.0

Page 1 / 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Multipurpose Grease for Compressed Air Brake Systems Article number: 45692, 38139, 44626, 38129

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Grease

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

The product does not require a hazard warning label in accordance with regulation CLP.

Hazard pictogramsnoneSignal wordnoneHazard statementsnonePrecautionary statementsnone

2.3 Other hazards

none

Physico-chemical hazards Combustible.

Environmental hazards Does not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Comment on component parts No dangerous components.

Multipurpose Grease for Compressed Air Brake Systems Article number 45692, 38139, 44626, 38129



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 5.0. Supersedes version: 4.0

Page 2 / 9

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Seek medical advice immediately.

Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on

the skin of exposed areas.

Ingestion may result in nausea, vomiting and/or diarrhoea.

Local necrosis is evidenced by delayed onset of pain and tissue damage a few hours

following injection.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.

High pressure injection injuries require prompt surgical inter-vention and possibly steroid

therapy, to minimise tissue dam-age and loss of function.

Because entry wounds are small and do not reflect the seri-ousness of the underlying damage, surgical exploration to determine the extent of involvement may be necessary. Local anaesthetics or hot soaks should be avoided because they can contribute to swelling, vasospasm and ischaemia. Prompt surgical decompression, debridement and evacuation of for-eign material should be performed under general anaesthet-ics, and wide exploration is

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam.

Dry powder. Water spray jet. Carbon dioxide.

essential.

Extinguishing media that must not

e used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Multipurpose Grease for Compressed Air Brake Systems Article number 45692, 38139, 44626, 38129



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 5.0. Supersedes version: 4.0

Page 3 / 9

6.3 Methods and material for containment and cleaning up

Take up mechanically.

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

No special measures necessary if used correctly.

The product is combustible.

Wash hands before breaks and after work.

Use barrier skin cream.

Cloths contaminated with product should not be kept in trouser pockets.

Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Do not store together with oxidizing agents.

Keep container tightly closed. Keep away from frost.

Keep in a cool place. Store in a dry place.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

not relevant

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

General exposure limit for oil mist should be noted.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection If there is a risk of splashing:

Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information

> 0,4 mm Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection not applicable

Other Avoid contact with eyes and skin.

Respiratory protection Not required under normal conditions.

Thermal hazards not applicable

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

Multipurpose Grease for Compressed Air Brake Systems Article number 45692, 38139, 44626, 38129



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 5.0. Supersedes version: 4.0

Page 4 / 9

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Form liquid
Color light blue
Odor characteristic
Odour threshold not applicable
pH-value not applicable
pH-value [1%] not applicable

Boiling point or initial boiling point

and boiling range [°C]

313

Flash point [°C] > 113 Flammability yes

Lower explosion limitNo information available.Upper explosion limitNo information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

Density [g/cm³]0,99 - 0,995Relative densitynot determinedBulk density [kg/m³]not applicableSolubility in watervirtually insoluble

Solubility other solvents

No information available.

Partition coefficient n-octanol/water

(log value)

No information available.

Kinematic viscosity

Relative vapour density

No information available.

Melting point [°C]

No information available.

Auto-ignition temperature [°C] 449

Decomposition temperature [°C] No information available.

Particle characteristics not applicable

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

Strong heating. Sunlight

10.5 Incompatible materials

Strong oxidizing agent.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Multipurpose Grease for Compressed Air Brake Systems Article number 45692, 38139, 44626, 38129



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 5.0. Supersedes version: 4.0

Page 5 / 9

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

oral, Based on the available information, the classification criteria are not fulfilled.

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.

Serious eye damage/irritation Slight irritant effect.

Based on the available information, the classification criteria are not fulfilled.

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Respiratory or skin sensitisation Specific target organ toxicity -

single exposure

Specific target organ toxicity —

repeated exposure

Mutagenicity No mutagenous properties.

Based on the available information, the classification criteria are not fulfilled. Reproduction toxicity Based on the available information, the classification criteria are not fulfilled.

Carcinogenicity No cancerogenic properties known

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard General remarks

> The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. Remarks: Used grease may contain harmful impurities that have accumulated during use. The concentration of such harmful impurities will depend on use and they may present risks to health and the environment on disposal. ALL used grease should be handled with caution and skin contact avoided as far as possible.

Remarks: High pressure injection of product into the skin may lead to local necrosis if the

prod-uct is not surgically removed.

11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

Does not contain a relevant substance that meets the classification criteria.

11.2.2 Other information none

SECTION 12: Ecological information

12.1 Toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

12.2 Persistence and degradability

Behaviour in environment

not determined

compartments

Behaviour in sewage plant

not determined

Biological degradability The product is not readily biodegradable.

Multipurpose Grease for Compressed Air Brake Systems Article number 45692, 38139, 44626, 38129



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 5.0. Supersedes version: 4.0

Page 6 / 9

12.3 Bioaccumulative potential

Contains components with the potential to bioaccumulate.

12.4 Mobility in soil

Product is immobilized by adsorption to soil particles.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Does not contain a relevant substance that meets the classification criteria.

12.7 Other adverse effects

The product is insoluble in water.

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Disposal in an incineration plant in accordance with the regulations of the local authorities.

In according to RoHS!

Waste no. (recommended) 120112* spent waxes and fats

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Uncontaminated packaging may be reused.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances

150102

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Multipurpose Grease for Compressed Air Brake Systems Article number 45692, 38139, 44626, 38129



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 5.0. Supersedes version: 4.0

Page 7 / 9

14.3 Transport hazard class(es)

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

Marine transport in accordance with no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

Multipurpose Grease for Compressed Air Brake Systems Article number 45692, 38139, 44626, 38129



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 5.0. Supersedes version: 4.0

Page 8 / 9

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances \geq 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product does not

contain any substances ≥ 0.1% that are restricted.

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to

any restrictions.

TRANSPORT-REGULATIONS ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP. not applicable

- Observe employment restrictions

for people

people

15.2 Chemical safety assessment

No information available.

SECTION 16: Other information

- VOC (2010/75/CE)

16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

Route

0%

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level

EC50 = Median effective concentration ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

Safety Data Sheet (UK REACH) (UK) Multipurpose Grease for Compressed Air Brake Systems Article number 45692, 38139, 44626, 38129



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.02.2025, Revision 05.02.2025

Version 5.0. Supersedes version: 4.0

Page 9 / 9

16.2 Other information

Classification procedure

Modified position

11.2, 12.6, 15.1, 16.3