

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

**automatic transmission fluid (ATF)**  
**Article number: 47716, 100708, 100709, 107394, 194473**

**1.2 Relevant identified uses of the substance or mixture and uses advised against****1.2.1 Relevant uses**

Lubricant

**1.2.2 Uses advised against**

None known.

**1.3 Details of the supplier of the safety data sheet**

**Company** Ferdinand Bilstein GmbH + Co. KG  
 Wilhelmstr. 47  
 58256 Ennepetal / GERMANY  
 Phone +49 2333 911-0  
 Fax +49 2333 911-444  
 Homepage [www.febi.com](http://www.febi.com)  
 E-mail [info@febi.com](mailto:info@febi.com)

**Address enquiries to**

**Technical information** [info@febi.com](mailto:info@febi.com)

**Safety Data Sheet** [info@febi.com](mailto:info@febi.com)

**1.4 Emergency telephone number**

**Advisory body** Call NHS 111 or a doctor  
 +49 (0)89-19240 (24h) (English)

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture [REGULATION (GB) CLP]**

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways.

**2.2 Label elements****Hazard pictograms**

The product is required to be labelled in accordance with regulation CLP.

**Signal word**

DANGER

**Contains:**

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)

**Hazard statements**

H304 May be fatal if swallowed and enters airways.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**2.3 Other hazards****Physico-chemical hazards**

No particular hazards known.

**Human health dangers**

If swallowed or in the event of vomiting, risk of product entering the lungs.  
 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**Environmental hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Other hazards**

No particular hazards known.

### SECTION 3: Composition / Information on ingredients

#### 3.1 Substances not applicable

#### 3.2 Mixtures The product is a mixture.

Range [%]	Substance
50 - < 100	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
	GHS/CLP: Asp. Tox. 1: H304

#### Comment on component parts

For full text of H-statements: see SECTION 16.  
All chemical substances in this material are included on or exempted from listing on the IECSC Inventory.  
Contains less than 3% w/w DMSO-extract (only for mineral oils)

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Seek medical advice immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.  
Forward this sheet to your doctor.

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide.
Extinguishing media that must not be used	Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.  
Risk of formation of toxic pyrolysis products.  
Carbon monoxide (CO)

#### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.  
Use self-contained breathing apparatus.  
Cool containers at risk with water spray jet.  
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.  
Forms slippery surfaces with water.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).  
Dispose of absorbed material in accordance with the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid formation of aerosols.  
The product is combustible.  
Do not eat, drink or smoke when using this product.  
Use barrier skin cream.  
Wash hands before breaks and after work.  
Cloths contaminated with product should not be kept in trouser pockets.  
Contaminated work clothing should not be allowed out of the workplace.  
Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.  
Prevent penetration into the ground.  
Do not store together with food and animal food/diet.  
Keep container tightly closed.  
Keep container in a well-ventilated place.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (UK)

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
Long-term exposure: 5 mg/m <sup>3</sup> , oil mist
Short-term exposure (15-minute): 10 mg/m <sup>3</sup>

#### Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

#### DNEL

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>
Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup>
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup>
general population, oral, Long-term - systemic effects, 740 µg/kg bw/day

#### PNEC

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
oral (food), 9,33 mg/kg

### 8.2 Exposure controls

#### Additional advice on system design

Ensure adequate ventilation on workstation.  
General exposure limit for oil mist should be noted.  
Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.

#### Eye protection

If there is a risk of splashing:  
Safety glasses. (EN 166:2001)

#### Hand protection

The details concerned are recommendations. Please contact the glove supplier for further information.  
Nitrile butyl rubber (NBR) > 0,38 mm.; (EN 374-1/-2/-3).

#### Skin protection

Light protective clothing.

#### Other

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.  
Avoid contact with eyes and skin.

#### Respiratory protection

Breathing apparatus in the event of aerosol or mist formation.  
Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)

#### Thermal hazards

none

#### Delimitation and monitoring of the environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	liquid
Color	colourless
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point or initial boiling point and boiling range [°C]	No information available.
Flash point [°C]	202 (395°F)
Flammability	Not highly flammable.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	0,83 (15 °C / 59,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	insoluble
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	No information available.
Kinematic viscosity	17,5 mm²/s (40°C)
Relative vapour density	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	not applicable

### 9.2 Other information

Solidification temperature: -45 °C (-49°F)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

The product is stable under standard conditions.

### 10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

### 10.4 Conditions to avoid

Strong heating.

### 10.5 Incompatible materials

Strong oxidizing agent.  
Acids  
Strong basic compounds

#### **10.6 Hazardous decomposition products**

No hazardous decomposition products known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

Product
oral, Based on the available information, the classification criteria are not fulfilled.
Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, oral, Rat, > 5000 mg/kg bw

#### Acute dermal toxicity

Product
dermal, Based on the available information, the classification criteria are not fulfilled.
Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, dermal, Rabbit, > 5000 mg/kg bw

#### Acute inhalational toxicity

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.
Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

**Serious eye damage/irritation** Does not contain a relevant substance that meets the classification criteria.  
Based on the available information, the classification criteria are not fulfilled.

**Skin corrosion/irritation** Does not contain a relevant substance that meets the classification criteria.  
Based on the available information, the classification criteria are not fulfilled.

**Respiratory or skin sensitisation** Does not contain a relevant substance that meets the classification criteria.  
Based on the available information, the classification criteria are not fulfilled.

**Specific target organ toxicity — single exposure** Does not contain a relevant substance that meets the classification criteria.  
Based on the available information, the classification criteria are not fulfilled.

**Specific target organ toxicity — repeated exposure** Does not contain a relevant substance that meets the classification criteria.  
Based on the available information, the classification criteria are not fulfilled.

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NOAEL, dermal, Rabbit, 1000 mg/kg bw/day
NOAEC, inhalative, Rat, 980 mg/m³ air
LOAEL, oral, Rat, 125 mg/kg bw/day

**Mutagenicity** Does not contain a relevant substance that meets the classification criteria.  
Based on the available information, the classification criteria are not fulfilled.

**Reproduction toxicity** Does not contain a relevant substance that meets the classification criteria.  
Based on the available information, the classification criteria are not fulfilled.

#### - Fertility

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

**- Development** No information available.

**Carcinogenicity** Does not contain a relevant substance that meets the classification criteria.  
Based on the available information, the classification criteria are not fulfilled.

**Ferdinand Bilstein GmbH + Co. KG**

Date printed 17.02.2025, Revision 17.02.2025

Version 9.0. Supersedes version: 8.1

Page 8 / 11

**Aspiration hazard**

May be fatal if swallowed and enters airways.  
Based on the available information, the classification criteria are fulfilled.  
On basis of test data

**General remarks**

Toxicological data of complete product are not available.  
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

**11.2 Information on other hazards****11.2.1 Endocrine disrupting properties**

Contains no ingredients with endocrine-disrupting properties.

**11.2.2 Other information**

none

**SECTION 12: Ecological information****12.1 Toxicity**

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
EC50, (48h), > 10000 mg/l (Gammarus pulex), OECD 202
EC50, (72h), Algae, > 100 mg/l
NOEC, (72h), Pseudokirchneriella subcapitata, ≥ 100 mg/l, OECD 201
NOEC, (21d), Daphnia magna, 10 mg/l, OECD 211
LL50, (96h), Fish, > 100 mg/l, OECD 203

**12.2 Persistence and degradability****Behaviour in environment compartments**

No information available.

**Behaviour in sewage plant**

No information available.

**Biological degradability**

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
(28d), 31 %, OECD 301 F, The product is not readily biodegradable.

**12.3 Bioaccumulative potential**

No information available.

**12.4 Mobility in soil**

No information available.

**12.5 Results of PBT and vPvB assessment**

Based on all available information not to be classified as PBT or vPvB respectively.

**12.6 Endocrine disrupting properties**

Contains no ingredients with endocrine-disrupting properties.

**12.7 Other adverse effects**

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.



**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product**

Dispose of as hazardous waste.  
Coordinate disposal with the authorities if necessary.  
In according to RoHS!

**Waste no. (recommended)**

130205\* mineral-based non-chlorinated engine, gear and lubricating oils

**Contaminated packaging**

Uncontaminated packaging may be taken for recycling.  
Packaging that cannot be cleaned should be disposed of as for product.

**Waste no. (recommended)**

150102  
150104  
150110\* packaging containing residues of or contaminated by hazardous substances

**SECTION 14: Transport information**

**14.1 UN number or ID number**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

**14.2 UN proper shipping name**

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

**14.3 Transport hazard class(es)**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

**Ferdinand Bilstein GmbH + Co. KG**

Date printed 17.02.2025, Revision 17.02.2025

Version 9.0. Supersedes version: 8.1

Page 10 / 11

**14.4 Packing group**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

**14.5 Environmental hazards**

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

**14.6 Special precautions for user**

Relevant information under SECTION 6 to 8.

**14.7 Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

<b>EEC-REGULATIONS</b>	2008/98/EG (2000/532/EC ); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707
- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\geq 0.1\%$ that are subject to authorisation.
- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\geq 0.1\%$ that are restricted. According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the following restrictions. 3
<b>TRANSPORT-REGULATIONS</b>	ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)
<b>NATIONAL REGULATIONS (UK):</b>	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.
- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
- VOC (2010/75/CE)	0%

**15.2 Chemical safety assessment**

For this product a chemical safety assessment has not been carried out.

**SECTION 16: Other information**

**16.1 Hazard statements (SECTION 3)**

H304 May be fatal if swallowed and enters airways.

## 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
ATE = acute toxicity estimate  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
EL50 = Median effective loading  
ELINCS = European List of Notified Chemical Substances  
EmS = Emergency Schedules  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
IVIS = In vitro irritation score  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
LC0 = lethal concentration, 0%  
LOAEL = lowest-observed-adverse-effect level  
LL50 = Median lethal loading  
LQ = Limited Quantities  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
NOAEL = No Observed Adverse Effect Level  
NOEC = No Observed Effect Concentration  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
STP = Sewage Treatment Plant  
TLV®/TWA = Threshold limit value – time-weighted average  
TLV®STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

## 16.3 Other information

### Classification procedure

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (On basis of test data)

### Modified position

1.3, 2.3, 3.2, 8.1, 9.1, 11.1, 15.1, 16.2, 16.3